

## Submittal Sheet

Aquatic products may be specified as Lasco Bathware.


16030BFSCTTR

ADA compliant without Seat

## STANDARD FEATURES

- Pre-leveled base
- AcrylX<sup>™</sup> applied acrylic surface
- 1 1/8" skirt
- Compliant when properly installed
- Center drain outlet
- Integral front trench drain
- Lifetime Limited Warranty Residential Use / 30-year Commercial Use
- 12" x 24" subway tile
- Slip resistant, textured bottom [ASTM F-462]
- Code compliant when fully equipped and installed according to guidelines

## CONFIGURATION (handed by fixture wall) ☐ Shell reinforced for future accessory installation Fixture wall LH RH Back wall Optional vertical bar reinforcement (entry wall) ☐ LH ☐ RH ☐ Both ☐ Fully configured — ADA Seat Location $\square$ LH $\square$ RH Includes two 20" x 1½" diameter stainless grab bar located on the side walls; One 48" x 11/2" diameter stainless grab bar located on the back wall; pressure balancing mixing valve; hand-held shower assembly; and stainless steel grate per ADA quidelines. CUSTOM OPTIONS (not available if ADA configuration is selected) Two 20" (side walls) and one 48" (back wall Stainless steel (1½" dia.) Powder-coated white (11/4" dia.) ☐ LH ☐ RH ☐ Back wall ☐ Hand-held shower assembly with 30" slide bar and 60" hose Pressure balancing mixing valve ☐ Stainless steel ☐ White ☐ Tamper-proof OPTIONAL ACCESSORIES (available for all models) ☐ Large soap dish (12½ W x 3½ D x 11½ H), shipped loose ☐ Small soap dish (7 W x 3½ D x 11½ H), shipped loose ☐ Curtain rod (Not ADA compliant) ☐ Shower curtain ☐ Brass drain Colors: Standard Mhite Upgraded 🗌 Biscuit 🔲 Bone Other (contact customer service for custom color options)



Int. Dim. 60 W x 30 D x 76 ¾ H Ext. Dim. 66 W x 32 ½ D x 78 ¾ H

Skirt Ht. 1 1/8 skirt
Packaged Wt. 210 lbs.

Material AcrylX™ applied acrylic

Warranty Lifetime Limited Residential Use/30-year Commercial Use\*

\* See terms and conditions for details


To complete your order, this document must be signed and faxed to the Aquatic Centralized Customer Service Center.

Additional accessories:

Fax (866) 544-5353 • Phone (800) 945-2726

inches





Please indicate changes needed.

## Curtain Rod and Soap Dish Locations (Standard Valve Configuration)

