

W6032DMINWP – EVERYDAY BATHS

60 x 32 x 19 inches

SOAKER MODEL #W6032DMIN

WHIRLPOOL MODEL #W6032DMINWP



FEATURES

- Deep, minimalist bathing well
- Toiletry storage deck
- Applied AcrylX™ surface
- Lifetime warranty



AVAILABLE SYSTEMS

WHIRLPOOL

- Pneumatic on/off control
- 6 hydrotherapy jets (directional, adjustable)
- Whirlpool pump
- Safety suction system




PRICE LIST/ORDER FORM — PURCHASE ORDER REQUIRED

W6032DMINWP

60 x 32 x 19 inches

BASE MODEL	PKG. WT. LBS.	JETS	DRAIN	MODEL #	MSLP
☐ Soaker	56	0	Universal	W6032DMIN	\$1,125
☐ Whirlpool	96	6	Universal	W6032DMINWP	\$2,125



OPTIONS (x = insert desired option code)	ENTER DESIRED OPTION CODE	MSLP
AcrylX™ stock color (COLxx): White (WH)	_____	No charge
AcrylX™ color upgrade (COLxx): Biscuit (BI)	_____	\$35
Cable drive waste & overflow, color-matched (CDxxxx): Biscuit (BICD) White (WHCD)	_____	\$201
Cable drive waste & overflow (CDxxxx): Chrome (CHCD) Oil Rubbed Bronze (OBCD) Polished Brass (BRCD) Brushed Nickel (SNCD)	_____	\$201

*For program terms and conditions, see page iii.

BASE PRICE (insert MSLP of base model selected in upper table) + \$ _____

OPTIONS SUB TOTAL \$ _____

ORDER TOTAL = \$ _____

Customer Name: _____ Date: _____

Additional Information: _____



AQUATIC
The bath people

EVERYDAY BATHS

PRODUCT FEATURES

ILLUSTRATION KEY

WHIRLPOOL MODELS

P = Pump Location

ORDERING KEY

In the part number, "xx" means an option code must be inserted.

AcrylX™ stock color (COLxx): ← **part number**


option code → White (WH)

Example: COLxx + WH = COLWH
Applied AcrylX™ stock color in White

Manufacturer reserves the right to discontinue models, colors, options and trim finishes without notice.

W6032DMINWP

60 x 32 x 19 inches



FEATURES lbs Dimensional Tolerance $\pm \frac{3}{16}$ ". Dimensions needed for site preparation should be measured from the unit. Aquatic assumes no responsibility for preparatory work.


Model #	Material	Jets	Motor	Controls	Drain	Net Wt.	Pkg. Wt.
Soaker #W6032DMIN	AcrylX™	0	—	—	Universal	41	46
Whirlpool #W6032DMINWP	AcrylX™	6	63 GPM	Pneumatic	Universal	81	86

DIMENSIONS

Specifications	inches
Width: Overall / Net	60
Depth: Overall / Net	32 / 32
Height: Overall / Net	19
Enclosure Opening	—
Skirt Height	—
Drain Rough-In (from Back Wall)	15
Drain Rough-In (from Side Wall)	2
Drain: Diameter / Clearance	2 / N/A

FRAMING DIMENSIONS inches

Type	D Depth	W Width	H Height	A	B	C
Island (Drop-In)	30	58	17 3/4	Box Out	2	15



SUMP DATA

Top of Drain to Bottom of Overflow	Capacity to Overflow gal	Min. Operating Capacity gal	WIDTH @ centerline		DEPTH @ centerline	
			Top	Bottom	Top	Bottom
14 1/2	60	38	51 3/8	43	23 7/8	21 3/8