60 x 30 x 76 (1525 x 760 x 1930) • Fax on Demand #9054

### A<sup>2</sup> COMPOSITE

Lightweight and durable, our A<sup>2</sup> Composite is an engineered compound of resin, glass and special fillers formed into sheets. These sheets are then placed under high pressure and heat to liquify the compound, allowing it to flow and take the shape of almost any form imaginable. The results are simple, stylish and a snap to install.



# AQUATIC ADVANTAGE

- National distribution
- 6 manufacturing facilities
- Private fleet
- Centralized customer service
- Field support
- 24-hour fax-on-demand





## **FEATURES**

- Durable high gloss finish
- Smooth wall, 4 piece molded sectionals
- 15" (380 mm) skirt
- Factory installed grab bars
  (2) 24" on side walls
  (2) 36" on back wall
- Pre-Leveled base
- Caulkless Installation
- Leakproof right angle joint flanges
- Easy Wedge & Lock Installation
- Multiple integral soap shelves
- Left, right drain
- Slip resistant, textured bottom
- 15-year residential limited warranty

## **OPTIONS**

- Removable seat
- Available in White and Biscuit
- Shower Door Series LO516

# CODE COMPLIANCE

- ADA
- FHA
- ICC/ANSI A117.1
- HUD UM73a
  - \*\*Code compliant when fully equipped and installed according to guidelines.







# F6030CTS2

 $60 \times 30 \times 76$  (1525 × 760 × 1930) inches (mm)







FEATURES lbs (kg)

Dimensional Tolerance ± %". Dimensions needed for site preparation should be measured from the unit. Aquatic assumes no responsibility for preparatory work.


Model #	Material	Jets	Motor	Controls	Drain	Net Wt.	Pkg. Wt.
Tub-Shower #F6030CTS2	Composite	-	-	-	LH or RH	120 (54)	128 (58)

### **DIMENSIONS**

Specifications	inches (mm)
Width: Overall / Net	60 (1525)
Depth: Overall / Net	31 1/4 (795) / 30 (760)
Height: Overall / Net	77 <b>%</b> (1965) / 76 (1930)
Enclosure Opening	56 (1420)
Skirt Height	15 (380)
Drain Rough-In (from Back Wall)	14 ¼ (360)
Drain Rough-In (from Side Wall)	2 3/4 (70)
Drain: Diameter / Clearance	2 (50) / ½ (15)

### FRAMING DIMENSIONS inches (mm)

Туре	<b>D</b> Depth	<b>W</b> Width	H Height	А	В	С
Alcove	31 <b>¼</b> (795)	60 (1.52.5)	77 <b>%</b>	Box Out	2 3/4 (70)	14 1/4 (360)



### SUMP DATA

Top of Drain to	Capacity to Overflow	WIDTH @	centerline	DEPTH @ centerline	
Bottom of Overflow	gal (ltr)	Тор	Bottom	Тор	Bottom
9 % (250)	37 (940)	51 <b>½</b> (1310)	45 <b>½</b> (1155)	22 1/4 (540)	20 ½ (520)