

AXOR Starck Organic
Electronic Faucet with Preset Temperature Control, 0.5 GPM
 Finishes : **chrome** Part no. : **12172001**



Description

Features

- Shower spray pattern
- Flow: 0.5 GPM (1.9 L/Min)
- Theft-proof aerator
- Pre-set temperature
- Infrared sensor
- Battery operated (battery type 6V CR-P2, included) with low battery indicator
- Temporary water stop feature for cleaning
- $\frac{3}{8}$ " hoses


Technology



Product image



Scale drawing




AXOR Starck Organic
Electronic Faucet with Preset Temperature Control, 0.5 GPM
 Finishes : **chrome** Part no. : **12172001**



Exploded drawing

Year of production: >06/15



AXOR Starck Organic
Electronic Faucet with Preset Temperature Control, 0.5 GPM
 Finishes : **chrome** Part no. : **12172001**



Spare parts list

Year of production: >06/15

Pos.	Description	Part no.	PC	PU
1	spray former	92408001	0	1
2	special tool	95158000	0	1
3	non return valve DW 10	96456000	0	1
4	O-ring 18x1,5	98231000	0	1
5	O-ring 7x1,5	98422000	0	1
6	O-ring 17x2	98199000	0	1
7	solenoid valve	95654000	0	1
8	O-ring 41x2	98212000	0	1
9	electronics	92346000	0	1
10	battery box	98801000	0	1
11	battery	97399000	0	1
12	fixing set (Ø 32)	13961000	0	1
13	lever collar	97548000	0	1
14	back flow preventor cartridge with microfilter	92297000	0	1
15	connection hose 450 mm	92345000	0	1
16	mixer-hood	92809000	0	1
17	screw	93272000	0	1