




TOP VIEW




FRONT VIEW



SIDE VIEW



CROSS SECTION OF THRESHOLD



SUBMITTAL

This shower enclosure shall be model SSB 3838 TR .75 Base center drain. Finished surface shall be of a sanitary grade solid surface exhibiting a minimal thickness of 55 dry mils and a finished cured Barcoal hardness of 80-90 as tested with ASTM D-2583. Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.

The unit shall have outside dimensions of 38 1/2" x 38 1/2" x 4 1/2" with a 3/4" threshold.

HANDED BY THE CENTER DRAIN.

The unit shall meet ANSI Z124.1-2, BOCA, Home Innovation Research, Lab, UPC, CSA B45.5, shall meet the requirements of ADA, and ANSI A117.1 when shower base is installed with code compliant accessories, (by others) and shall meet the requirements of the Southern Building Code.

The enclosure shall be equipped with the following accessories:

- 1) Shower base has required 36" x 36" inside dimensions,
- 2) EasyBase™ self sustaining bottom,
- 3) integral front trench drain,
- 4) Solid surface finish,
- 5) 3/4" threshold.

THIS UNIT FEATURES THE OUTSIDE DIMENSION OF 38 1/2" OF OVERALL WIDTH. THIS DOES NOT ALLOW FOR FULL ENCLOSURE OF THE BOLTS AND NUTS USED TO SECURE THE BARS AND SEAT IN PLACE. THE BOLT AND NUT COMBINATION SHOULD NOT PROTRUDE MORE THAN 3/4" ON EITHER SIDE OF THE SHOWER WALLS. THIS MAY REQUIRE THE NEED TO NOTCH STUDS TO ALLOW BOLT CLEARANCE FOR A DRYWALL ENCLOSED FIRE WALL INSTALLATION. ADJUSTMENT OF THE WALL BOARD MAY BE NECESSARY TO PROVIDE CLEARANCE OF THE BOLT(S) WHILE MAINTAINING THE INTEGRITY OF THE DRYWALL ENCLOSED FIRE WALL ENCLOSURE.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.

Job Name	Approved By Print Name	Date	COMFORT DESIGNS	
Project No	Approved By Signature		Model No. SSB 3838 TR .75 Base	
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Architect		Drawing No. SSB 3838 TR .75 Easy Base	
	Engineer		Date Issued. 4-26-12	
	Rep		Drawing Rev. 2-11-14	
	Wholesaler		Material. Solid Surface	
	Comments		Color,	
			Dimensions are in inches. Due to the nature of the materials dimensions may vary ± 1/2"	