

FRONT VIEW Curtain Rod Drywall: Drywall Receiver Receiver Flange Flange Seam Grab Bar Grab Bar Fold Up 775 Seat 735" Seam Leg 398 Ledge 345" $23\frac{5}{8}$ 185" <u>5</u>" 14<mark>-</mark> 36' 40<u>1</u>"



CROSS SECTION OF THRESHOLD





SUBMITTAL

This shower enclosure shall be model SSS 3637 BF 3P RRF .625, right. Finished surface shall be of a sanitary grade solid surface exhibiting a minimal thickness of 55 dry mils and a finished cured Barcoal hardness of 80-90 as tested with ASTM D-2583. Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.


The unit shall have outside dimensions of 40 I/4" \times 38 I/4" \times 77 5/8". The unit shall meet CSA B45.5-II, HUD, BOCA, ADA, Home Innovation Research Lab, ANSI II.71, IAPMOZ124-2011, and shall meet the requirements of the Southern Building Code.

HANDED BY THE VALVE

The enclosure shall be equipped with the following accessories; I) One $18" \times 33" \times 1 \text{ I}/2"$ diameter 18 gauge stainless steel L-Grab Bar, 2) One $24" \times 1 \text{ I}/2"$ diameter 18 gauge stainless steel vertical grab bar, all with I I/2" statute clearance, secured from the rear with stainless steel bolts, and $3" \times 3" \times 11$ gauge metal mounting plates, 3) $32" \times 21"$ Frameless wood grain phenolic fold up seat, 4) One inch diameter stainless steel curtain rod with receiver cups,

- 5) Molded ledge on the back wall, 6) 3-piece sectional design,
- 7) Drywall receiver flange on both sides, 8) Factory installed Easy Base self sustaining bottom, 9) 5/8" threshold.





THIS UNIT FEATURES THE OUTSIDE DIMENSION OF 40 I/4" OF OVERALL WIDTH. THIS DOES NOT ALLOW FOR FULL ENCLOSURE OF THE BOLTS AND NUTS USED TO SECURE THE BARS AND SEAT IN PLACE. THE BOLT AND NUT COMBINATION SHOULD NOT PROTRUDE MORE THAN 3/4" ON EITHER SIDE OF THE SHOWER WALLS. THIS MAY REQUIRE THE NEED TO NOTCH STUDS TO ALOW BOLT CLEARANCE FOR A DRYWALL ENCLOSED FIRE WALL INSTALLATION, ADJUSTMENT OF THE WALL BOARD MAY BE NECESSARY TO PROVIDE CLEARANCE OF THE BOLT(S) WHILE MAINTAINING THE INTEGRITY OF THE DRYWALL ENCLOSED FIRE WALL ENCLOSED FIRE WALL ENCLOSED FIRE WALL ENCLOSED FIRE WALL ENCLOSURE.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.

				TYOTE THIS OTHER TYPE	THE PROCEED FROM THE PROPERTY OF THE PROPERTY	
Job Name	Approved By Print Name	Dat	ite	COMFORT DESIGNS		
Project No	Approved By Signature			Model No. SSS 3637 BF 3P RRF .625		
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Architect			Drawing No. SSS 3637 BF 3P RRF .625 SLB VB WGPH CR RRF Easy Base		
	Engineer			Date Issued. 4-3-12	Drawing Rev. 11-11-14	
	Rep			Material Solid Surface		
	Wholesaler			Color,		
	Comments		Dimensions are in inches. Due to the nature of the materials dimensions may vary \pm $_{\rm I/2"}$			