



Architectural Design Series Concealed Flush

1800D60TR-6-CZ



Description

1.6 gpf (6.0 Lpf) Flush Volume, Infrared Sensor, Champagne Bronze® Finish, Hardwire Operated, Water Closet Fixture, Electronic Manual Override, Front Accessible Rough-In Box

Specifications

Flush Volume: Fixed @ 1.6 gpf (6.0 Lpf)

Sensor Type: Infrared

· Finish: Champagne Bronze®

Power Supply: Hardwire Operated (24 VAC) requires transformer (sold separately)

Fixture Type: Water Closet Override: Electronic Manual Rough-In Box: Front Accessible

Features

· Cover with integral sensor

· Vandal-resistant mounting plate, installed with single hidden screw

· No visible mounting hardware

TRIM MODELS - Supplied as sensor and override button attached to cover

Preset blocking time, built-in activation delay

Oversized ADA compliant push button

Required Accessories

060704A - Transformer 120 to 24 VAC Class 2 20 VA

060771A - Transformer 120 to 24 VAC Class 2 40 VA

Optional Accessories

061704A - Hardwire with Battery Backup - (See DSP-BB for detailed specification)

Complies With

- ASSE 1037/ ASME A112.1037/ CSA B125.37
- ICC/ANSI A117.1



(Contact Delta Representative for State and/or Local Approvals)

Operation

- · Hands free touch-less operation
- Power function light
- Selectable sensing distance 24" to 56" (610 to 1422 mm) in 8" (203 mm) increments factory set to 40" (1016 mm)
- · 12 seconds blocking time

Notes


· Rough-in (1800D60RI) ordered separately






Architectural Design Series Concealed Flush Valve

1800D60TR-6-CZ





Delta Commercial flushometer valves are designed to operate at a supply pressure between 20 psi and 125 psi in accordance with ASSE 1037/ASME A112.1037/CSA B125.37. At high water pressures, splash out, noise or reduced life of plumbing components may be observed with a few models of water closet or urinal fixtures. To minimize, or eliminate these effects, select a different model of water closet or urinal fixture from the same or different manufacturer, or install a pressure reducing valve. If the installation does not allow for either of these options, the ball valve adjustment may be used to reduce peak flow to the valve.