



## Electronic Exposed Battery Urinal Flush Valve - Sloan®/Zurn® Retrofit

### 81T231BTA-30-19

#### **Description**

Electronic exposed battery flush valve for 0.75" (19 mm) top spud urinal fixture with quiet action chloramine-resistant diaphragm and fixed flush volume factory set to 0.5 gpf (1.9 Lpf). Fits Sloan®/Zurn® models.

#### **Specification**

- Flush Volume: Fixed, non-adjustable factory set @ 0.5 gpf (1.9 Lpf)
- Fixture Type: Urinal with 0.75" (19 mm) top spud
- · Valve Type: Urinal Flush Valve
- Operation: H<sub>2</sub>Optics<sup>®</sup> sensing technology

#### **Features**

- Polished chrome-plated vandal resistant metal cover with top mounted sensor operated H<sub>2</sub>Optics<sup>®</sup> electronics
- · Right or left-hand supply installation
- · ADA compliant, automatic operation battery powered infrared sensor
- · Scratch resistant replaceable lens window
- Four (4) size AA alkaline batteries factory installed with valve in sleep mode for easy installation
- · Hinged battery housing for easy maintenance
- · Quiet action, TECK® exposed diaphragm flush valve
- · Chloramine resistant diaphragm
- · Renewable seat
- Polished chrome-plated finish for an attractive and corrosion-resistant appearance
- Maximum 13" (330 mm) from centerline of valve inlet to top of water closet
- Adjustable 4.75" ±0.5" (121 mm ±13 mm) inlet/valve outlet centers
- Vacuum breaker
- Cover tube, stainless steel wall flange, spud flange, spud nut, and 13" (330 mm) outlet tube
- Water conserving fixed, non-adjustable flush volume, factory set to 0.5 gpf (1.9 Lpf) for efficient water usage

### **Optional Accessories**

- 061391A Copper Defense conversion kits with CuVerro Shield bactericidal copper alloys for 81T electronic flush valve button (Available in Canada Only)
- 061069A Hardwire converter & rigid connection assembly for 3rd Generation E-FV
- 060704A Transformer 20VA, 120/24Vac (for use with up to 5 units)
- 060771A Transformer 40VA, 120/24Vac (for use with up to 10 units)



### **Complies With**

- ASSE 1037/ASME A112.1037/ CSA B125.37
- ICC / ANSI A117.1
- EPA WaterSense listed





(Contact Delta Representative for State and/or Local Approvals)

### **Operation**


- Infrared sensor range adjustment of 8" 24" (203 610 mm), factory set at 16" ±2" (406 mm ±51 mm)
- Low battery flashing light (5000 flushes remaining) with battery strength indicator
- · Optional 24 hour automatic flush factory set to off
- · Set-up sensor range adjustment indicator lights
- · 6 VDC input, 6 second arming delay
- Electronic operated non-hold-open metal override button with 5 second lockout
- Recommended water supply:
  Minimum flowing pressure 25 psi (172 kPa)
  Minimum flow rate 8 gpm (30 L/min)






# Electronic Exposed Battery Urinal Flush Valve - Sloan®/Zurn® Retrofit

## 81T231BTA-30-19





Teck® flush valves are designed to operate at any supply pressure between 20 psi and 125 psi in accordance with ASSE 1037/ASME AI 12.1037/ CSA BI25.37. The Teck® flush valve delivers the industry's highest peak flows to enhance bowl scrubbing. At high water pressures, splash out, noise or reduced life of plumbing components may be observed with a few models of water closet or urinal fixtures. To minimize or eliminate these effects, select a different model of water closet or urinal from the same or another manufacturer, or install a pressure reducing valve. If the installation does not allow for either of these options, the control stop adjusting screw may be used to reduce pressure to the valve.