




Productspecificaties

- **Sprong 205 mm**
- Vaste uitloop 1/2"
- Schuimstraler M 24 x 1 – buit. dr.
- 2x xControl keramisch binnenwerk 1/2", met inkortbare spindel
- Doorstroomhoeveelheid max. 7 l/min
- Loodvrij
- greep



Oppervlakken

- chroom 36716720-00

Benodigd toebehoren

- Inbouwdeel, hartafstand 100 mm; 3570797090
- Inbouwdeel, variabele plaatsing; 3571297090

This exploded view diagram illustrates the assembly of a bidet sprayer. The central component is the sprayer handle (7). To its left, the mounting bracket (18) is shown with a screw (4) and a washer (16) for attachment. Below the handle, the base assembly (19) is shown, consisting of a flange (11), a gasket (10), and a mounting plate (9). To the right, the spray wand (1) is shown with a handle (20) and a nozzle (21). The spray wand assembly includes a trigger gun (2) and a spray head (3). The diagram also shows various internal components like the trigger gun (2), the spray head (3), and the trigger gun (2) with a trigger gun (2) and a spray head (3). The diagram is labeled with numbers 1 through 21, corresponding to the parts list.

Bestelhoeveelheid

Nr.	Artikelnummer	Omschrijving	Installatiehoeveelheid
1	0490031560090	bovendeel	2
2	09184007790	huls	2
3	09160102690	ring	2
4	09121200290	nylon kapje	6
5	0924030811090	verlengstuk	1
6	09230105390	doorstroombegrenzer	1
7	09240318090	nippel	1
8	09141011990	dichting	1
9	09311100490	stift	1
10	091172002ff	uitloop	1
11	09210210890	schijf	2
12	09233002390	moer	2
13	09141502090	ring	2
14	092906020ff	spindel	2
15	09141006090	dichting	2
16	092774001ff	rozet	2
17	09311105590	stift	2
18	092072003ff	greep (hot)	1
19	90230111803ff	perlator	1
20	092072004ff	greep (cold)	1
21	0490031570090	bovendeel	1

Debietdiagram

