Lyndon Patio Collection
60" Lyndon Patio Ceiling Fan OZ
310140OZ (Olde Bronze)

Product Information

Product ID	310140OZ
Finish	Olde Bronze
Blade Finish	Dark Walnut/Medium Walnut
Collection	Lyndon Patio Collection

Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
Low	140	6074	77	.67	79
Med	90	3672	99	.47	37
High	50	1943	133	.29	15

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	13 Degrees
Blade Sweep	60"
Blades Reversible	Yes
Blade Material	ABS
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50
Primary Control System	Wall Control System Basic
Remote Included	No
Wall Control Included	Yes
Low Ceiling Adaptable	No
Lead Wire Length	78.00"
Motor Size	188MM X 20MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	Incandescent
Downlight Bulb Included	Included
Downlight Bulb Type	B
Number of Lights/LEDs	3
Max or Nominal Watt	40W
Glass Description	Clear Seeded

Dimensions

Downrod	A	B	C	D
1.00 OD X 4.50	19.00	13.30	9.50	6.69

Notes:
1) Information provided is subject to change without notice.
All values are design or typical values when measured under
laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as
presented is an approximate number and is for reference only.

KICHLER

Lyndon Patio Collection
60" Lyndon Patio Ceiling Fan OZ
310140OZ (Olde Bronze)

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Olde Bronze	310140OZ	CLEAR SEEDED	DARK WALNUT	MEDIUM WALNUT
Weathered Steel Powder Coat	310140WSP	CLEAR SEEDED	WALNUT	TEAK

Control Options

Product ID	Descr
337214TR	Basic CoolTouch Transmitter

Safety Listings & Certifications

Safety Rated	Wet
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL listed electrical junction boxes marked "For Fan Support"
Electrical Requirements	120V 60Hz AC

Notes:
1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER.