# 4U Series LED Collection 30" LED Cabinet Light 2700K in WHT

4U27K30WHT (Textured White)



#### **Dimensions**

| Height | 1.00"  |  |
|--------|--------|--|
| Length | 30.00" |  |
| Width  | 4.50"  |  |

| Project Name: |  |
|---------------|--|
| Location:     |  |
| Туре:         |  |
| Qty:          |  |
| Comments:     |  |

## **Ordering Information**

| Product ID         | 4U27K30WHT               |
|--------------------|--------------------------|
| Finish             | Textured White           |
| Available Finishes | BZT, WHT                 |
| Collection         | 4U Series LED Collection |

#### **Dimensions**

| Weight   | 2.40 LBS |  |
|----------|----------|--|
| VVCIGITE | 2.40 LD3 |  |

#### **Photometrics**

| Color Rendering Index | 93    |
|-----------------------|-------|
| Volt AMPERE           | 10.70 |

### **Specifications**

| Material | Aluminum        |  |
|----------|-----------------|--|
| Material | / darriii larri |  |

#### Electrical

| Input Voltage           | Single 120 |
|-------------------------|------------|
| Operating Voltage Range | 108-132V   |

### Qualifications

| Safety Rated       | Dry                      |
|--------------------|--------------------------|
| Title 24           | Yes                      |
| Expected Life Span | 40000 Hours              |
| Warranty           | www.kichler.com/warranty |
|                    |                          |

#### Installation

| Wire Connectors     | Wire Nuts |
|---------------------|-----------|
| Direct Wire         | Yes       |
| Knockouts           | 0.50"     |
| Number of Knockouts | 7         |
| Modular             | Yes       |

### **Primary Lamping**

| Light Source       | LED        |
|--------------------|------------|
| Lamp Included      | Integrated |
| Delivered Lumens   | 702        |
| Delivered Efficacy | 57         |



7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

#### Notes

1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.



