


 **KINDRED**

BROOKMORE  
COLLECTION





## BROOKMORE

---

The perfect blend of modern design and impeccable craftsmanship. The Brookmore collection is an excellent combination of bold design and functionality. The satin finish ensures a tasteful and clean aesthetic to match perfectly with any kitchen interior. Find the perfect solution for any kitchen from our wide range of models.





Start your days in the best of ways in a modern looking kitchen



The Brookmore stainless steel sink collection is designed to create something truly unique that meets both your food preparation and cleaning needs. Made with high quality 18-gauge stainless steel with a rich chromium content that helps shield the material from corrosion and prevents bacterial growth. The streamlined look with a striking satin finish that will stand up to heavy use and retain its beauty for years.



**Spacious 9" Deep Bowl**  
High capacity sink perfect for soaking and washing stacks of dishes.



**High Quality Stainless**  
18 gauge high-quality stainless steel with exceptional resistance to staining and corrosion.



**Rear & Offset Drains**  
The placement of the drain has been designed to maximize bowl space. The flat even bottom of the bowl allows glassware to stand up.



NEW

## Functional kitchen solutions

A Brookmore workstation sink delivers the power of a beautifully designed sink, where everything works together and has a purpose, with accessories made to work and made to last.

Included accessories like the cutting board, colander, and roller mat create a seamless space for prepping, rinsing, and cleaning. The custom-fit grid protects the surface and adds space for drying. With smart function and sleek design, it elevates any modern kitchen.



## Accessible design, uncompromised style

Brookmore ADA sinks are thoughtfully crafted to bring comfort, convenience, and elegance into accessible kitchen spaces. With a 6-inch shallow bowl and rear drain placement, these sinks offer generous knee clearance, making it easier to use from a seated position.

Designed for flexibility, dual mount installation options allow for both undermount and topmount setups, so you can choose the look and fit that works best for your kitchen.

\*ADA Compliant: Product is compliant with the American Disabilities Act when properly installed.






### Refine, enhance, upgrade

It's easy to change the look of any kitchen and create something that feels completely new without remodeling the entire space. Our revolutionary EZ Torque™ installation on select models is a simplified fastener system that allows you to install the sink in just a few simple steps. Easier installation means enjoying your kitchen sooner.



Hassle free installation, drop and drill your sink securely into place.



Scan to see how it is installed





# The Brookmore collection

28 models, 49 skus —endless possibilities

choose your installation style:



UNDERMOUNT



TOPMOUNT/DROP-IN

Choose your bowl type and size

| MODEL        |                                                                                     | EXTERIOR DIMENSIONS              | INTERIOR DIMENSIONS      | MINIMUM CABINET SIZE             | BOWL CORNER RADIUS | SOUND DAMPENING | BOTTOM GRID(S) |         |
|--------------|-------------------------------------------------------------------------------------|----------------------------------|--------------------------|----------------------------------|--------------------|-----------------|----------------|---------|
| Workstations |    | <div>NEW</div> BSU1832-9OW-WKC   | 18 1/8" FB x 32 1/2" LR  | 16 1/2" FB x 30 7/8" LR x 9" DP  | 33"                | 20mm            | Sound Pads     | BG5310S |
|              |  | <div>NEW</div> BSL2233-9-1OW-WKC | 22" FB x 32 7/8" LR      | 16 1/2" FB x 30 7/8" LR x 9" DP  | 36"                | 20mm            | Sound Pads     | BG5310S |
| Undermount   |  | BSU1812-8N                       | 18 1/8" FB x 11 9/16" LR | 16 1/2"FB x 10" LR x 7 7/8" DP   | 15"                | 20mm            | Sound Pads     | BG510S  |
|              |  | BSU1816-9N                       | 18 1/8" FB x 15 9/16" LR | 16 1/2"FB x 13 15/16" LR x 9" DP | 18"                | 20mm            | Sound Pads     | BG514S  |
|              |  | BSU1820-9N                       | 18 1/8" FB x 19 1/2" LR  | 16 1/2"FB x 17 15/16" LR x 9" DP | 21"                | 20mm            | Sound Pads     | BG518S  |
|              |  | BSU1825-9N                       | 18 1/8" FB x 24 5/8" LR  | 16 1/2"FB x 23" LR x 9" DP       | 27"                | 20mm            | Sound Pads     | BG523S  |
|              |  | BSU1831-9N                       | 18 1/8" FB x 30 1/2" LR  | 16 1/2"FB x 28 15/16" LR x 9" DP | 33"                | 20mm            | Sound Pads     | BG529S  |

| MODEL                                     |                                                                                       | EXTERIOR DIMENSIONS                                                     | INTERIOR DIMENSIONS       | MINIMUM CABINET SIZE                                                                    | BOWL CORNER RADIUS | SOUND DAMPENING | BOTTOM GRID(S) |                  |
|-------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------|--------------------|-----------------|----------------|------------------|
| Undermount                                |    | BSU1832-9N                                                              | 18 1/8" FB x 32 1/2" LR   | 16 1/2"FB x 30 7/8" LR x 9" DP                                                          | 33"                | 20mm            | Sound Pads     | BG531S           |
|                                           |    | BSU1832-9N-OW                                                           | 18 1/8" FB x 32 1/2" LR   | 16 1/2"FB x 30 7/8" LR x 9" DP                                                          | 33"                | 20mm            | Sound Pads     | BG5310S          |
|                                           |    | BCU1827R-9N                                                             | 18 1/8" FB x 26 9/16" LR  | LG Bowl: 16 1/2"FB x 13 15/16" LR x 9" DP<br>SM Bowl: 16 1/2"FB x 10" LR x 7 7/8" DP    | 27"                | 20mm            | Sound Pads     | BG514S<br>BG510S |
|                                           |    | BCU1831R-9N                                                             | 18 1/8" FB x 30 1/2" LR   | LG Bowl: 16 1/2"FB x 17 15/16" LR x 9" DP<br>SM Bowl: 16 1/2"FB x 10" LR x 7 7/8" DP    | 33"                | 20mm            | Sound Pads     | BG518S<br>BG510S |
|                                           |   | BDU1831-9N                                                              | 18 1/8" FB x 30 1/2" LR   | Equal Bowl: 16 1/2"FB x 13 15/16" LR x 9" DP                                            | 33"                | 20mm            | Sound Pads     | BG514S           |
|                                           |  | BCU1835R-9N                                                             | 18 1/8" FB x 34 1/2" LR   | LG Bowl: 16 1/2"FB x 17 15/16" LR x 9" DP<br>SM Bowl: 16 1/2"FB x 13 15/16" LR x 9" DP  | 36"                | 20mm            | Sound Pads     | BG518S<br>BG514S |
|                                           |  | BCU1836R-9N                                                             | 18 1/8" FB x 35 9/16" LR  | LG Bowl: 16 1/2"FB x 23" LR x 9" DP<br>SM Bowl: 16 1/2"FB x 10" LR x 7 7/8" DP          | 36"                | 20mm            | Sound Pads     | BG523S<br>BG510S |
|                                           |  | BTU1841-9N                                                              | 18 1/8" FB x 41 1/2" LR   | Equal Bowl: 16 1/2"FB x 13 15/16" LR x 9" DP<br>SM Bowl: 16 1/2"FB x 10" LR x 7 7/8" DP | 42"                | 20mm            | Sound Pads     | BG514S<br>BG510S |
| EZ Torque Installation - Topmount/Drop In |  | BSL2116-3N (3 hole)<br>BSL2116-1N (1 hole)                              | 20 7/8" FB x 15 15/16" LR | 16 1/2"FB x 13 15/16" LR x 9" DP                                                        | 18"                | 20mm            | Sound Pads     | BG514S           |
|                                           |  | BSL2120-9-4N (4 hole)<br>BSL2120-9-3N (3 hole)<br>BSL2120-9-1N (1 hole) | 20 7/8" FB x 19 15/16" LR | 16 1/2"FB x 17 15/16" LR x 9" DP                                                        | 24"                | 20mm            | Sound Pads     | BG518S           |
|                                           |  | BSL2125-9-4N (4 hole)<br>BSL2125-9-3N (3 hole)<br>BSL2125-9-1N (1 hole) | 20 7/8" FB x 25" LR       | 16 1/2"FB x 23" LR x 9" DP                                                              | 27"                | 20mm            | Sound Pads     | BG523S           |

| MODEL                                     |                                                                                     | EXTERIOR DIMENSIONS                                                              | INTERIOR DIMENSIONS       | MINIMUM CABINET SIZE                                                                 | BOWL CORNER RADIUS | SOUND DAMPENING | BOTTOM GRID(S) |                  |
|-------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------------------------|--------------------|-----------------|----------------|------------------|
| EZ Torque Installation - Topmount/Drop In |    | BSL2225-9-4N (4 hole)<br>BSL2225-9-3N (3 hole)<br>BSL2225-9-1N (1 hole)          | 22" FB x 25" LR           | 16 1/2"FB x 23" LR x 9" DP                                                           | 27"                | 20mm            | Sound Pads     | BG523S           |
|                                           |    | BSL2131-9-4N (4 hole)<br>BSL2131-9-3N (3 hole)<br>BSL2131-9-1N (1 hole)          | 20 7/8" FB x 30 7/8" LR   | 16 1/2"FB x 28 15/16" LR x 9" DP                                                     | 33"                | 20mm            | Sound Pads     | BG529S           |
|                                           |    | BSL2233-9-4N (4 hole)<br>BSL2233-9-3N (3 hole)<br>BSL2233-9-1N (1 hole)          | 22" FB x 32 7/8" LR       | 16 1/2"FB x 30 7/8" LR x 9" DP                                                       | 36"                | 20mm            | Sound Pads     | BG531S           |
|                                           |    | BSL2233-9-4N-OW (4 hole)<br>BSL2233-9-3N-OW (3 hole)<br>BSL2233-9-1N-OW (1 hole) | 22" FB x 32 7/8" LR       | 16 1/2"FB x 30 7/8" LR x 9" DP                                                       | 36"                | 20mm            | Sound Pads     | BG531OS          |
|                                           |    | BCL2127-9-4N (4 hole)<br>BCL2127-9-3N (3 hole)<br>BCL2127-9-1N (1 hole)          | 20 7/8" FB x 26 15/16" LR | LG Bowl: 16 1/2"FB x 13 15/16" LR x 9" DP<br>SM Bowl: 16 1/2"FB x 10" LR x 7 7/8" DP | 30"                | 20mm            | Sound Pads     | BG514S<br>BG510S |
|                                           |   | BCL2131R-9-4N (4 hole)<br>BCL2131R-9-3N (3 hole)<br>BCL2131R-9-1N (1 hole)       | 20 7/8" FB x 30 7/8" LR   | LG Bowl: 16 1/2"FB x 17 15/16" LR x 9" DP<br>SM Bowl: 16 1/2"FB x 10" LR x 7 7/8" DP | 33"                | 20mm            | Sound Pads     | BG518S<br>BG510S |
|                                           |  | BDL2131-9-4N (4 hole)<br>BDL2131-9-3N (3 hole)<br>BDL2131-9-1N (1 hole)          | 20 7/8" FB x 30 7/8" LR   | Equal Bowl: 16 1/2"FB x 13 15/16" LR x 9" DP                                         | 33"                | 20mm            | Sound Pads     | BG514S           |
|                                           |  | BDL2233-9-4N (4 hole)<br>BDL2233-9-3N (3 hole)<br>BDL2233-9-1N (1 hole)          | 22" FB x 32 7/8" LR       | Equal Bowl: 16 1/2"FB x 14 15/16" LR x 9" DP                                         | 36"                | 20mm            | Sound Pads     | BG515S           |
| ADA                                       |  | BSL2225-ADA-1N                                                                   | 22" FB x 25" LR           | 16 1/2"FB x 23" LR x 5 3/8" DP                                                       | 27"                | 20mm            | Sound Pads     | BG523S           |
|                                           |  | BSL2233-ADA-1N                                                                   | 22" FB x 32 7/8" LR       | 16 1/2"FB x 30 7/8" LR x 5 3/8" DP                                                   | 36"                | 20mm            | Sound Pads     | BG531S           |

\*ADA Compliant: Product is compliant with the American Disabilities Act when properly installed.

## Optional accessories


The flexibility of the Brookmore accessories is a great way to efficiently use your sink and simplify meal-prep and clean up.



Bamboo Cutting Board  
MB517




Colander  
C417P



Roller Mat  
RM55S



Strainer Basket  
1135



Bottom Grids  
see chart for  
model numbers





KINDRED-SINKWARE.COM

FRANKE KINDRED CANADA

Customer Service Department  
P.O. Box 190, 1000 Franke Kindred Road  
Midland, Ontario Canada L4R 4K9

**Telephone** 1-866-687-7465

**Email** [info@kindred-sinkware.com](mailto:info@kindred-sinkware.com)

BRKMRUSA\_V2\_011724