



Composed™ | 27718-10L

3/8" moving panel glass and hinges

Features

- Frameless 3/8" (10 mm) thick tempered glass
- CleanCoat®+ glass coating creates a hydrophobic barrier that repels water, soap scum, and residue, saving time and protecting shower doors 10 times longer than original CleanCoat. (Based on 2021 internal wear/abrasion testing using a microfiber cloth.)



Available Colors/Finishes

Color tiles intended for reference only.

- | | | |
|---|-----|-------------------------|
|  | CP | Polished Chrome |
|  | CP | Polished Chrome |
|  | SHP | Bright Polished Silver |
|  | BN | Vibrant Brushed Nickel |
|  | BL | Matte Black |
|  | 2BL | Blackened Bronze |
|  | BNK | Anodized Brushed Nickel |



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

6-10-2026 21:3 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ANSI Z97.1 (Tempered Glass)

CAN/CGSB-12.1

CPSC 16CFR 1201

Technical Information

All product dimensions are nominal.

Weight: 81 lbs (36.7 kg)

Material

- Anodized aluminum prevents rust and corrosion
-

Warranty

See website for detailed warranty information.

KOHLER® Bath and Shower Doors Ten-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

6-10-2026 21:3 - US-CA



Installation

- For residential use only
- Not for use in hospitality

Installation Notes

Install this product according to the installation instructions.

