



Birthday Bath® | K-100

72" x 37-1/2" freestanding bath

Features

- Integral lumbar support
- Safeguard® slip-resistant surface provides excellent traction underfoot



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

0 White



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-30-2026 21:8 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.1/CSA B45.2
ASTM F462

Warranty

See website for detailed warranty information.

KOHLER® Enameled Cast Iron Bath and Shower Base Lifetime
Limited Warranty

Technical Information

All product dimensions are nominal.

Drain Location:	Reversible
Drain Hole Diameter:	2-1/4" (57 mm)
Minimum Flat for Door:	2-7/8" (74 mm)
Basin Area, Bottom:	43" x 21" (1092 mm x 533 mm)
Basin Area, Top:	67" x 31" (1702 mm x 787 mm)
Water Depth:	11-1/8" (283 mm)
Water Capacity:	50 gal (189.3 L)
Minimum Floor Load:	47 lbs/ft ²
Weight:	430 lbs (195 kg)

Material

- KOHLER® enameled cast iron
- Painted exterior surface smoothness can vary from product to product


Recommended Products/Accessories

K-1491 Bath/whirlpool pillow, removable
K-1601 Bath/whirlpool footstop, removable
K-23726 Drain treatment
K-23725 Cast iron cleaner

Required Products/Accessories


- K-102 Ball-and-claw feet
- K-106 Bath drain, chain and rubber stopper





No change in measurements if connected with drain illustrated. (K-106)

Leg Detail



Installation

- Freestanding
- Reversible drain

Installation Notes

Install this product according to the installation instructions.

Measure your actual product for rough-in details.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.

