



Artifacts™ | K-21000-PSG

66-1/8" x 32-1/2" freestanding bath

Features

- Freestanding design creates a striking focal point in your bathing area
- Integral lumbar support on both ends
- Safeguard® slip-resistant surface provides excellent traction underfoot
- Painted exterior in Spring Green
- Coordinates with other products in the Artifacts collection



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

■ H15 150th Spring Green



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-30-2026 18:14 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.1/CSA B45.2

Technical Information

All product dimensions are nominal.

Drain Location:	Center
Drain Hole Diameter:	2-3/16" (56 mm)
Basin Area, Bottom:	48-15/16" x 24-3/4" (1243 mm x 629 mm)
Basin Area, Top:	58-11/16" x 27-13/16" (1491 mm x 706 mm)
Water Depth:	14-3/8" (366 mm)
Water Capacity:	90 gal (340.7 L)
Minimum Floor Load:	90 lbs/ft ²
Weight:	396.2 lbs (179.7 kg)

Material

- KOHLER® enameled cast iron

Recommended Products/Accessories

K-23726 Drain treatment

K-23725 Cast iron cleaner

Required Products/Accessories

- K-7159 1-1/2" pop-up bath drain for above- and through-the-floor freestanding bath installations
- K-204 Ball-and-claw feet

or

- K-7159 1-1/2" pop-up bath drain for above- and through-the-floor freestanding bath installations
- K-20027 Bath base for freestanding bath

Warranty

See website for detailed warranty information.


KOHLER® Enameled Cast Iron Bath and Shower Base Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications. For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada. 5-30-2026 18:14 - US-CA

THE BOLD LOOK
OF **KOHLER®**



Installation

- Freestanding
- Requires K-7159 drain (sold separately)
- Requires K-204 ball-and-claw feet (sold separately)

Installation Notes

Install this product according to the installation instructions.

Measure your actual product for rough-in details.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

5-30-2026 18:14 - US-CA