



# Entity® | K-26107-LA

60" x 36" alcove bath with left drain

## Features

- Integral apron creates a clean, finished look
- Low step-over height allows easy entry and exit
- Round overflow
- Integral lumbar support
- Textured bottom surface



## Available Colors/Finishes

*Color tiles intended for reference only.*

■ 0 White



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
5-12-2026 19:42 - US-CA

THE BOLD LOOK  
OF **KOHLER**®

## Codes/Standards

ADA compliant when installed to the specific requirements of these regulations.



CSA B45.5/IAPMO Z124  
ASTM E162  
ASTM E662  
ADA  
ICC/ANSI A117.1

## Warranty

See website for detailed warranty information.

KOHLER® Plastic Baths and Shower Bases Lifetime Limited Warranty

## Technical Information

All product dimensions are nominal.

|                        |                                       |
|------------------------|---------------------------------------|
| Drain Location:        | Left                                  |
| Drain Hole Diameter:   | 2-1/4" (57 mm)                        |
| Minimum Flat for Door: | 2-15/16" (74 mm)                      |
| Basin Area, Bottom:    | 45-1/16" x 28-3/8" (1145 mm x 720 mm) |
| Basin Area, Top:       | 53-1/16" x 30-3/8" (1348 mm x 771 mm) |
| Water Depth:           | 9-1/8" (232 mm)                       |
| Water Capacity:        | 47.4 gal (179.4 L)                    |
| Minimum Floor Load:    | 36 lbs/ft <sup>2</sup>                |
| Weight:                | 65 lbs (29.5 kg)                      |


## Material

- Acrylic

## Recommended Products/Accessories

K-23726 Drain treatment  
K-23732 Tub & shower cleaner  
K-7213 Cable bath drain with PVC tubing  
K-7214 Cable bath drain, less PVC tubing  
K-11660 1-1/2" adjustable drain, 17-gauge brass, for 14" to 16" baths





## Installation

- Alcove
- Integral flange
- Left drain

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.

ADA compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
5-12-2026 19:42 - US-CA

THE BOLD LOOK  
OF **KOHLER**®