



# Strive® | K-33157

32-1/2" undermount single-bowl farmhouse kitchen sink

## Features

- Fits minimum 33" (838 mm) apron sink base cabinet
- Single bowl
- 9" (229 mm) depth provides generous workspace
- Self-Trimming® apron overlaps cabinet face for easy installation and beautiful results
- Bowl slopes toward drain to minimize water pooling
- No faucet holes; requires wall- or deck-mount faucet
- Box includes: Sink, sink rack, installation hardware, cutout template
- SilentShield® sound-absorption technology offers quieter performance
- Sink drain with strainer sold separately



## Sustainability



## Available Colors/Finishes

*Color tiles intended for reference only.*

 NA Stainless Steel



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
6-17-2026 18:0 - US-CA

THE BOLD LOOK  
OF **KOHLER**®

## Codes/Standards

ASME A112.19.3/CSA B45.4

## Technical Information

*All product dimensions are nominal.*

|                             |                   |
|-----------------------------|-------------------|
| Drain Hole Diameter:        | 3-3/4" (94 mm)    |
| Minimum Base Cabinet Width: | 33" (838 mm)      |
| Basin Configuration:        | Single Bowl       |
| Basin Length:               | 29-1/2" (749 mm)  |
| Basin Width:                | 17-3/16" (437 mm) |
| Basin Depth:                | 9-3/16" (233 mm)  |

## Material

- Premium 16-gauge stainless steel

## Recommended Products/Accessories

K-8801 Sink drain and strainer with tailpiece

K-11352 Disposal flange with stopper


K-23729 Stainless steel cleaner

## Warranty

*See website for detailed warranty information.*

KOHLER® Stainless Steel Sinks Lifetime Limited Warranty





## Installation

- Undermount

## Installation Notes

*Install this product according to the installation instructions.*

**IMPORTANT!** The distance from the top edge of the cabinet to the top of the cabinet door must be at least 8-13/16" (224 mm) to install this sink.

**NOTICE:** Countertop manufacturer or cutter must use the cut-out template provided with the product, or a current one provided by Kohler Co. (call 1-800-4KOHLER). Kohler Co. is not responsible for cutout errors when the incorrect cut-out template is used.

