



# Claude™ by Studio McGee | K-38859

65-3/4" x 33-1/2" freestanding bath

## Features

- Designed in collaboration with Studio McGee
- Freestanding design creates a striking focal point in your bathing area
- 16-1/2" (419 mm) soaking depth
- Slotted overflow allows for deep soaking
- Integral lumbar support
- Center toe-tap drain with KOHLER Lithocast® cover
- Coordinates with other products in the Claude by Studio McGee collection



## Available Colors/Finishes

*Color tiles intended for reference only.*

- 0 White
- HW1 Honed White
- NY Dune
- HDN Honed Dune



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
5-30-2026 23:12 - US-CA

THE BOLD LOOK  
OF **KOHLER**

Codes/Standards

CSA B45.5/IAPMO Z124

Technical Information

All product dimensions are nominal.

|                      |                                  |
|----------------------|----------------------------------|
| Drain Location:      | Center                           |
| Drain Hole Diameter: | 2-5/16" (58 mm)                  |
| Basin Area, Bottom:  | 52-3/4" x 23" (1340 mm x 584 mm) |
| Basin Area, Top:     | 58-1/2" x 27" (1486 mm x 686 mm) |
| Water Depth:         | 16-9/16" (421 mm)                |
| Water Capacity:      | 83 gal (314.2 L)                 |
| Minimum Floor Load:  | 91 lbs/ft²                       |
| Weight:              | 340 lbs (154.2 kg)               |

Material


- KOHLER Lithocast® Gloss cast resin

Warranty

See website for detailed warranty information.

KOHLER® Plastic Baths and Shower Bases Lifetime Limited Warranty





## Installation

- Freestanding

## Installation Notes

*Install this product according to the installation instructions.*

Measure your actual product for rough-in details.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.

