



Strive® | K-5283

35" undermount single-bowl kitchen sink

Features

- Minimum base cabinet width: 36"–39" (36" may require cabinet modifications)
- Single bowl
- 9" (229 mm) depth provides generous workspace
- Rear drain increases workspace in the sink and allows for more storage space underneath the sink
- Rounded 0.39" (10 mm) corners are easy to clean
- Sink drain with strainer sold separately



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

NA Stainless Steel



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 21:0 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.3/CSA B45.4

Technical Information

All product dimensions are nominal.

Drain Hole Diameter:	3-3/4" (94 mm)
Minimum Base Cabinet Width:	39" (991 mm)
Basin Configuration:	Single Bowl
Basin Length:	33-1/4" (845 mm)
Basin Width:	16-9/16" (420 mm)
Basin Depth:	9" (229 mm)

Material

- Premium 16-gauge stainless steel

Recommended Products/Accessories

K-6667 Wood cutting board
K-23726 Drain treatment
K-23729 Stainless steel cleaner
K-8799 Sink drain and strainer basket, less tailpiece
K-8801 Sink drain and strainer with tailpiece
K-11352 Disposal flange with stopper


Warranty

See website for detailed warranty information.

KOHLER® Stainless Steel Sinks Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
5-12-2026 21:0 - US-CA



Installation

- Undermount

Installation Notes

Install this product according to the installation instructions.

Minimum base cabinet width 36" - 39" (36" may require cabinet modifications). Consult an installer for confirmation.

