

OUTLOOK™ BFS-6036F SHOWER BASE MODEL



DATE: _____

JOB NAME: _____

CUSTOMER: _____

QUOTE #: _____

SHIP TO: _____

PO #: _____

PHONE #: _____

QTY: _____

SPECIAL NOTES: _____

APPLICABLE CODE: ADA ☐ CSA ☐ ANSI ☐ ONT ☐

OTHER REGIONAL CODE: _____

_____/_____/_____
PLUMBING CONTRACTOR APPROVAL DATE

_____/_____/_____
GENERAL CONTRACTOR APPROVAL DATE

_____/_____/_____
ENGINEER APPROVAL DATE

_____/_____/_____
ARCHITECT APPROVAL DATE

**To complete your order, this document must be signed and faxed to the MAAX Order Desk nearest you.
Please see reverse for fax number.**

INT. DIM.	60 X 30 X 76-3/4 (1524 X 762 X 1950)
EXT. DIM.	62-3/4 X 39-1/2 X 78-3/4 (1597 X 1003 X 2000)
THRESHOLD HT.	1" (25 mm) skirt, No interior threshold
WEIGHT	225 lbs (102 kg) gross
WARRANTY	Fiberglass - Three years
CODE LISTED	None
STANDARD FEATURES	<ul style="list-style-type: none"> • Reinforced unit • Center drain • Textured bottom

ACCESSORIES AND OPTIONS¹

Please specify colors/finishes when ordering

☐ L-Shaped Fold-Up Seat:

☐ Naugahyde (381) ☐ Phenolic (382) ☐ Left ☐ Right

☐ Rectangular Fold-up Seat:

☐ Naugahyde (381) ☐ Phenolic (382) ☐ Left ☐ Right

☐ Horizontal L-Shaped Grab Bar:

☐ White (001) ☐ Stainless Steel (106)

☐ Straight Grab Bar

☐ 12 in. ☐ 18 in. ☐ 24 in. ☐ 30 in. ☐ 42 in. ☐ 48 in.

☐ White (001) ☐ Stainless Steel (106)

☐ Built-In Soap Dish*

☐ White (001) ☐ Stainless Steel (106)

☐ Pressure Balance Mixing Valve with

1-function Hand-Held Shower including Slide Bar with 60-in.

Hose and Vacuum Breaker: Chrome (084)*

☐ 24-in. Slide Bar ☐ 36-in. Slide Bar

☐ 60-in. Curtain Rod with Grommets: Stainless Steel (106)

☐ 60-in. White Vinyl Shower Curtain with

Stainless Steel Hooks (106)

☐ Solid brass drain with stainless steel grid. Quick caulk seal fits a 2 in. schedule 40 steel or plastic pipe.

* Pressure balance mixing valve and soap dish are not factory installed.

¹Please indicate custom positionings on reverse side drawings.
Additional charges may apply.



Select from the possible option positionings:

For custom see below.

 ADA compliant



FRONT



**** For Eastern Canada only**

② Hand-held shower (slide bar factory installed)


② Hand-held shower (slide bar factory installed)

④ Soap dish (not factory installed)




④ Soap dish (not factory installed)

If you require custom positioning, specify measurements here:


Additional charge applies. MAAX reserves the right to refuse to manufacture a custom unit that is not in compliance with the applicable code specified above. Consult code regulations.



THRESHOLD INSTALLATIONS




FRAMING



ADA / ANSI / CSA CLEARANCE

Shower 60"x36"	
A	60" Min
B	36" Min



INSTALLATION WARNING

Due to possible water leaks between the lip of the shower and the curtain, MAAX recommends the installation of a floor drain outside the unit, in rooms where the units will be installed. All our showers have an inside curb of 1/2" (13mm) height applicable to a transfer type use, precisely for the ADA standards.

Important: The finished height of the threshold must comply with the following canadian and american standards;

- Canada: height from 6 mm to 13 mm according to CAN/CSA B651 (Accessible and Usable Buildings and facilities).
- U.S.: 1/2" maximum height according to ADA/ANSI A117.1 (Accessible and Usable Buildings and facilities).

This standard does not apply to tub-showers.

Please fax to:

MAAX Beauce, Quebec: 1-800-201-8308

MAAX Lachine, Quebec: 1-888-361-2045

MAAX Armstrong, British Columbia: 1-888-514-4442