


*Prices subject to change without notice.
Visit our website for the most current information*

NIBCO® LEAD-FREE* VALVES PRICE LIST & PRODUCT GUIDE



Materials & Construction

- NIBCO lead-free dezincification-resistant (DZR) commercial valves are made of high quality lead-free silicon performance bronze™ per ASTM specifications
- Easily identifiable white handles, double oval body markings and blue hang tags signify lead free

NIBCO®
AHEAD OF THE FLOW®

NIBCO INC.	1516 MIDDLEBURY STREET	DOMESTIC CUSTOMER SERVICE	TECHNICAL SERVICE	INTERNATIONAL OFFICE
WORLD HEADQUARTERS	ELKHART, IN 46516-4740	PHONE: 800.234.0227	PHONE: 888.446.4226	PHONE: +1/574.295.3327
WEB: www.nibco.com	USA	FAX: 800.234.0557	FAX: 888.336.4226	FAX: +1/574.295.3455



**T-585-80-LF - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-585-80-LF	1/4"	\$ 32.99	0.43	10	100	039923338693
T-585-80-LF	3/8"	32.99	0.44	10	100	039923338709
T-585-80-LF	1/2"	32.99	0.65	10	60	039923338716
T-585-80-LF	3/4"	54.64	1.20	5	40	039923338723
T-585-80-LF	1"	68.05	1.63	5	20	039923338730
T-585-80-LF	1-1/4"	156.80	2.87	5	20	039923338747
T-585-80-LF	1-1/2"	208.30	3.83	5	10	039923338754
T-585-80-LF	2"	314.50	5.57	2	6	039923338761



**T-585-66-LF - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded - Stainless Trim**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-585-66-LF	1/4"	\$ 55.16	0.43	10	100	039923338778
T-585-66-LF	3/8"	55.16	0.44	10	100	039923338785
T-585-66-LF	1/2"	55.16	0.65	10	60	039923338792
T-585-66-LF	3/4"	102.10	1.20	5	40	039923338808
T-585-66-LF	1"	123.80	1.63	5	20	039923338815
T-585-66-LF	1-1/4"	259.80	2.87	5	20	039923338822
T-585-66-LF	1-1/2"	322.70	3.83	5	10	039923338839
T-585-66-LF	2"	452.60	5.57	2	6	039923338846



**S-585-80-LF - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-585-80-LF	1/4"	\$ 32.99	0.40	10	100	039923338532
S-585-80-LF	3/8"	32.99	0.41	10	100	039923338549
S-585-80-LF	1/2"	32.99	0.56	10	80	039923338556
S-585-80-LF	3/4"	54.64	1.02	5	40	039923338563
S-585-80-LF	1"	68.05	1.50	5	30	039923338570
S-585-80-LF	1-1/4"	156.80	2.41	5	20	039923338587
S-585-80-LF	1-1/2"	208.30	3.62	5	10	039923338594
S-585-80-LF	2"	314.50	5.54	2	6	039923338600

NOTE: PC-585-80/66-LF also available. Reference PRESS price sheet.

*Weighted average lead content ≤ 0.25%



**S-585-66-LF - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder - Stainless Trim**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-585-66-LF	1/4"	\$ 55.16	0.40	10	100	039923338617
S-585-66-LF	3/8"	55.16	0.41	10	100	039923338624
S-585-66-LF	1/2"	55.16	0.56	10	80	039923338631
S-585-66-LF	3/4"	102.10	1.02	5	40	039923338648
S-585-66-LF	1"	123.80	1.50	5	30	039923338655
S-585-66-LF	1-1/4"	259.80	2.41	5	20	039923338662
S-585-66-LF	1-1/2"	322.70	3.62	5	10	039923338679
S-585-66-LF	2"	452.60	5.54	2	6	039923338686



**T-585-80-LF-LL - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Locking Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-585-80-LF-LL	1/4"	\$ 42.48	0.43	10	100	039923349040
T-585-80-LF-LL	3/8"	42.48	0.44	10	100	039923349057
T-585-80-LF-LL	1/2"	42.48	0.65	10	80	039923349064
T-585-80-LF-LL	3/4"	67.02	1.20	5	30	039923349071
T-585-80-LF-LL	1"	80.42	1.63	5	20	039923349088
T-585-80-LF-LL	1-1/4"	172.20	2.87	5	20	039923349095
T-585-80-LF-LL	1-1/2"	223.80	3.83	5	10	039923349101
T-585-80-LF-LL	2"	329.90	5.57	2	6	039923349118



**T-585-66-LF-LL - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded - Stainless Trim**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Locking Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-585-66-LF-LL	1/4"	\$ 64.64	0.43	10	100	039923349422
T-585-66-LF-LL	3/8"	64.64	0.44	10	100	039923349439
T-585-66-LF-LL	1/2"	64.64	0.65	10	80	039923349446
T-585-66-LF-LL	3/4"	114.50	1.20	5	30	039923349453
T-585-66-LF-LL	1"	136.10	1.63	5	20	039923349460
T-585-66-LF-LL	1-1/4"	275.30	2.87	5	20	039923349392
T-585-66-LF-LL	1-1/2"	337.20	3.83	5	10	039923349408
T-585-66-LF-LL	2"	467.10	5.57	2	6	039923349415

NOTE: PC-585-80/66-LF also available. Reference PRESS price sheet.

*Weighted average lead content ≤ 0.25%



**S-585-80-LF-LL - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Locking Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-585-80-LF-LL	1/4"	\$ 42.48	0.40	10	100	039923348586
S-585-80-LF-LL	3/8"	42.48	0.41	10	100	039923348593
S-585-80-LF-LL	1/2"	42.48	0.56	10	80	039923348609
S-585-80-LF-LL	3/4"	67.02	1.02	5	30	039923348616
S-585-80-LF-LL	1"	80.42	1.50	5	20	039923348623
S-585-80-LF-LL	1-1/4"	172.20	2.41	5	20	039923348647
S-585-80-LF-LL	1-1/2"	223.80	3.62	5	10	039923348654
S-585-80-LF-LL	2"	329.90	5.54	2	6	039923348661



**S-585-66-LF-LL - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder - Stainless Trim**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Locking Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-585-66-LF-LL	1/4"	\$ 64.64	0.40	10	100	039923348746
S-585-66-LF-LL	3/8"	64.64	0.41	10	100	039923348753
S-585-66-LF-LL	1/2"	64.64	0.56	10	80	039923348760
S-585-66-LF-LL	3/4"	114.50	1.02	5	30	039923348777
S-585-66-LF-LL	1"	136.10	1.50	5	20	039923348784
S-585-66-LF-LL	1-1/4"	275.30	2.41	5	20	039923348791
S-585-66-LF-LL	1-1/2"	337.20	3.62	5	10	039923348807
S-585-66-LF-LL	2"	467.10	5.54	2	6	039923348814



**T-585-80-LF-NS - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, NIB-Seal® Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-585-80-LF-NS	1/4"	\$ 57.74	0.43	1	50	039923349316
T-585-80-LF-NS	3/8"	57.74	0.44	1	50	039923349323
T-585-80-LF-NS	1/2"	57.74	0.65	1	50	039923349330
T-585-80-LF-NS	3/4"	80.42	1.20	1	30	039923349347
T-585-80-LF-NS	1"	92.79	1.63	1	20	039923349354
T-585-80-LF-NS	1-1/4"	193.90	2.87	1	10	039923349361
T-585-80-LF-NS	1-1/2"	245.40	3.83	1	10	039923349378
T-585-80-LF-NS	2"	351.60	5.57	1	6	039923349385

NOTE: PC-585-80/66-LF also available. Reference PRESS price sheet.

*Weighted average lead content ≤ 0.25%



**T-585-66-LF-NS - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded - Stainless Trim**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, NIB-Seal® Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty.	Master Ctn. Qty	UPC
T-585-66-LF-NS	1/4"	\$ 79.90	0.43	1	50	039923349200
T-585-66-LF-NS	3/8"	79.90	0.44	1	50	039923349217
T-585-66-LF-NS	1/2"	79.90	0.65	1	50	039923349224
T-585-66-LF-NS	3/4"	127.90	1.20	1	30	039923349231
T-585-66-LF-NS	1"	149.50	1.63	1	20	039923349248
T-585-66-LF-NS	1-1/4"	297.00	2.87	1	10	039923349170
T-585-66-LF-NS	1-1/2"	358.80	3.83	1	10	039923349187
T-585-66-LF-NS	2"	488.70	5.57	1	6	039923349194



**S-585-80-LF-NS - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, NIB-Seal® Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-585-80-LF-NS	1/4"	\$ 57.74	0.40	1	50	039923348968
S-585-80-LF-NS	3/8"	57.74	0.41	1	50	039923348975
S-585-80-LF-NS	1/2"	57.74	0.56	1	50	039923348982
S-585-80-LF-NS	3/4"	80.42	1.02	1	30	039923348999
S-585-80-LF-NS	1"	92.79	1.50	1	20	039923349002
S-585-80-LF-NS	1-1/4"	193.90	2.41	1	10	039923349019
S-585-80-LF-NS	1-1/2"	245.40	3.62	1	10	039923349026
S-585-80-LF-NS	2"	351.60	5.54	1	6	039923349033

*NOTE: NIB-Seal® handle ships unassembled on solder end valves



**S-585-66-LF-NS - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder - Stainless Trim**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, NIB-Seal® Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-585-66-LF-NS	1/4"	\$ 79.90	0.40	1	50	039923348821
S-585-66-LF-NS	3/8"	79.90	0.41	1	50	039923348838
S-585-66-LF-NS	1/2"	79.90	0.56	1	50	039923348845
S-585-66-LF-NS	3/4"	127.90	1.02	1	30	039923348869
S-585-66-LF-NS	1"	149.50	1.50	1	20	039923348876
S-585-66-LF-NS	1-1/4"	297.00	2.41	1	10	039923348883
S-585-66-LF-NS	1-1/2"	358.80	3.62	1	10	039923348890
S-585-66-LF-NS	2"	488.70	5.54	1	6	039923348906

*NOTE: NIB-Seal® handle ships unassembled on solder end valves

NOTE: PC-585-80/66-LF also available. Reference PRESS price sheet.

*Weighted average lead content ≤ 0.25%

**T-585-80-LF-EL - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Extended Lever Handle w/ Memory Stop

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-585-80-LF-EL	1/4"	\$ 57.74	0.700	10	100	039923356055
T-585-80-LF-EL	3/8"	57.74	0.690	10	100	039923356062
T-585-80-LF-EL	1/2"	57.74	0.890	10	50	039923356079
T-585-80-LF-EL	3/4"	80.42	1.510	5	30	039923356086
T-585-80-LF-EL	1"	93.82	2.010	5	20	039923356093
T-585-80-LF-EL	1-1/4"	193.90	3.330	5	20	039923356109
T-585-80-LF-EL	1-1/2"	245.40	4.570	5	10	039923356116
T-585-80-LF-EL	2"	351.60	6.560	2	6	039923356123

**T-585-66-LF-EL - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded - Stainless Trim**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Extended Lever Handle w/ Memory Stop

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-585-66-LF-EL	1/4"	\$ 79.90	0.700	10	100	039923356130
T-585-66-LF-EL	3/8"	79.90	0.700	10	100	039923356147
T-585-66-LF-EL	1/2"	79.90	0.900	10	50	039923356154
T-585-66-LF-EL	3/4"	127.90	1.500	5	30	039923356161
T-585-66-LF-EL	1"	149.50	2.150	5	20	039923356178
T-585-66-LF-EL	1-1/4"	297.00	3.510	5	20	039923356185
T-585-66-LF-EL	1-1/2"	358.80	5.000	5	10	039923356192
T-585-66-LF-EL	2"	488.70	7.540	2	6	039923356208

**S-585-80-LF-EL - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Extended Lever Handle w/ Memory Stop

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-585-80-LF-EL	1/4"	\$ 57.74	0.620	10	50	039923355881
S-585-80-LF-EL	3/8"	57.74	0.690	10	100	039923355898
S-585-80-LF-EL	1/2"	57.74	0.890	10	50	039923355904
S-585-80-LF-EL	3/4"	80.42	1.470	5	30	039923355911
S-585-80-LF-EL	1"	93.82	1.970	5	20	039923355935
S-585-80-LF-EL	1-1/4"	193.90	3.390	5	15	039923355942
S-585-80-LF-EL	1-1/2"	245.40	4.920	5	10	039923355959
S-585-80-LF-EL	2"	351.60	6.980	2	6	039923355966

NOTE: PC-585-80/66-LF also available. Reference PRESS price sheet.

*Weighted average lead content ≤ 0.25%

**S-585-66-LF-EL - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder - Stainless Trim**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Extended Lever Handle w/ Memory Stop

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-585-66-LF-EL	1/4"	\$ 79.90	0.630	10	60	039923355973
S-585-66-LF-EL	3/8"	79.90	0.620	10	60	039923355980
S-585-66-LF-EL	1/2"	79.90	0.860	10	60	039923355997
S-585-66-LF-EL	3/4"	127.90	1.460	5	30	039923356000
S-585-66-LF-EL	1"	149.50	2.110	5	20	039923356017
S-585-66-LF-EL	1-1/4"	297.00	3.560	5	20	039923356024
S-585-66-LF-EL	1-1/2"	358.80	5.340	5	10	039923356031
S-585-66-LF-EL	2"	488.70	7.950	2	6	039923356048



**T-585-80-LF-M - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Memory Stop Handle

Figure Number	Size	List Price	Weight	Bag/Box Qty	Master Ctn Qty	UPC
T-585-80-LF-M	1/4"	\$ 36.09	0.43	10	100	039923349255
T-585-80-LF-M	3/8"	36.09	0.44	10	100	039923349262
T-585-80-LF-M	1/2"	36.09	0.65	10	80	039923349279
T-585-80-LF-M	3/4"	57.74	1.20	5	40	039923349293
T-585-80-LF-M	1"	71.14	1.63	5	20	039923349309
T-585-80-LF-M	1-1/4"	160.90	2.87	5	20	039923349125
T-585-80-LF-M	1-1/2"	212.40	3.83	5	10	039923349132
T-585-80-LF-M	2"	318.60	5.57	2	6	039923349149



**S-585-80-LF-M - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, IAPMO-IGC-157, 600 PSI CWP, Memory Stop Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-585-80-LF-M	1/4"	\$ 36.09	0.40	10	100	039923348913
S-585-80-LF-M	3/8"	36.09	0.41	10	100	039923348920
S-585-80-LF-M	1/2"	36.09	0.56	10	80	039923348937
S-585-80-LF-M	3/4"	57.74	1.02	5	40	039923348944
S-585-80-LF-M	1"	71.14	1.50	5	20	039923348951
S-585-80-LF-M	1-1/4"	160.90	2.41	5	20	039923348678
S-585-80-LF-M	1-1/2"	212.40	3.62	5	10	039923348685
S-585-80-LF-M	2"	318.60	5.54	2	6	039923348692

*Weighted average lead content ≤ 0.25%



**T-585-80-LF-HC - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded**

NSF/ANSI-61-9 and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, 3/4" Hose Connection with Cap and Chain

Figure Number	Size	List Price	Weight	Bag/Box Qty	Master Ctn Qty	UPC
T-585-80-LF-HC	1/2"	\$ 62.89	0.801	10	60	039923349156
T-585-80-LF-HC	3/4"	88.66	1.463	5	30	039923349163



**T-585-66-LF-HC - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded - Stainless Trim**

NSF/ANSI-61-9 and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, 3/4" Hose Connection with Cap and Chain

Figure Number	Size	List Price	Weight	Bag/Box Qty	Master Ctn Qty	UPC
T-585-66-LF-HC	1/2"	\$ 82.48	0.801	10	60	039923349477
T-585-66-LF-HC	3/4"	128.90	1.463	5	30	039923349484



**S-585-80-LF-HC - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder**

NSF/ANSI-61-9 and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, 3/4" Hose Connection with Cap and Chain

Figure Number	Size	List Price	Weight	Bag/Box Qty	Master Ctn Qty	UPC
S-585-80-LF-HC	1/2"	\$ 62.89	0.740	10	60	039923348722
S-585-80-LF-HC	3/4"	88.66	1.423	5	30	039923348739



**S-585-66-LF-HC - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder - Stainless Trim**

NSF/ANSI-61-9 and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, 3/4" Hose Connection with Cap and Chain

Figure Number	Size	List Price	Weight	Bag/Box Qty	Master Ctn Qty	UPC
S-585-66-LF-EL	1/2"	\$ 82.48	0.740	10	60	039923348708
S-585-66-LF-EL	3/4"	128.90	1.423	5	30	039923348715

*Weighted average lead content ≤ 0.25%



Lead-Free* PC-585-80-LF, PC-585-66-LF, PC-585-80-LF-HC, PC-585-66-LF-HC, TPC-585-80-LF and TPC-585-66-LF are also available! Reference PRESS VALVES price sheet.

- NSF/ANSI-61-8 (180°F)
- NSF/ANSI-372
- IAPMO-IGC-157
- Size Range: 1/2" - 2"



**T-580-80-LF - Lead-Free Performance Bronze™
Two-Piece - Conventional Port - Threaded**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-580-80-LF	1-1/4"	\$ 118.60	2.868	5	20	039923338952
T-580-80-LF	1-1/2"	144.40	3.314	5	15	039923338969
T-580-80-LF	2"	201.10	4.722	5	10	039923338976
T-580-80-LF	2-1/2"	830.00	7.958	2	6	039923338983
T-580-80-LF	3"	1,030.00	15.489	1	2	039923338990



**T-580-66-LF - Lead-Free Performance Bronze™
Two-Piece - Conventional Port - Threaded - Stainless Trim**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-580-66-LF	1-1/4"	\$ 211.40	3.338	5	20	039923339003
T-580-66-LF	1-1/2"	247.50	4.830	5	10	039923339010
T-580-66-LF	2"	340.00	7.371	2	6	039923339027
T-580-66-LF	2-1/2"	1,191.00	9.056	2	6	039923339034
T-580-66-LF	3"	1,443.00	16.83	1	2	039923339041

*Weighted average lead content ≤ 0.25%



**S-580-80-LF - Lead-Free Performance Bronze™
Two-Piece - Conventional Port - Solder**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-580-80-LF	1-1/4"	\$ 118.60	1.785	5	20	039923338853
S-580-80-LF	1-1/2"	144.40	2.916	5	15	039923338860
S-580-80-LF	2"	201.10	4.227	5	10	039923338877
S-580-80-LF	2-1/2"	830.00	7.855	5	15	039923338884
S-580-80-LF	3"	1,030.00	14.694	1	2	039923338884



**S-580-66-LF - Lead-Free Performance Bronze™
Two-Piece - Conventional Port - Solder - Stainless Trim**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-580-66-LF	1-1/4"	\$ 211.40	3.396	5	20	039923338907
S-580-66-LF	1-1/2"	247.50	5.171	5	10	039923338914
S-580-66-LF	2"	314.50	7.784	2	6	039923338921
S-580-66-LF	2-1/2"	1,191.00	9.146	2	6	039923338938
S-580-66-LF	3"	1,443.00	16.042	1	2	039923338945

**T-580-80-LF-NS - Lead-Free Performance Bronze™
Two-Piece - Conventional Port - Threaded**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, NIB-Seal® Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-580-80-LF-NS	1-1/4"	\$ 144.40	3.248	5	20	039923350459
T-580-80-LF-NS	1-1/2"	179.40	3.491	5	15	039923350466
T-580-80-LF-NS	2"	236.10	4.899	5	15	039923350473
T-580-80-LF-NS	2-1/2"	865.00	9.062	1	1	039923350480

*Weighted average lead content ≤ 0.25%

**S-580-80-LF-NS - Lead-Free Performance Bronze™
Two-Piece - Conventional Port - Solder**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, NIB-Seal® Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-580-80-LF-NS	1-1/4"	\$ 144.40	1.887	1	20	039923350404
S-580-80-LF-NS	1-1/2"	179.40	3.049	1	20	039923350411
S-580-80-LF-NS	2"	236.10	4.404	1	10	039923350428
S-580-80-LF-NS	2-1/2"	865.00	8.997	1	1	039923350435

**T-580-80-LF-EL - Lead-Free Performance Bronze™
Two-Piece - Conventional Port - Threaded**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Extended Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-580-80-LF-EL	1-1/4"	\$ 152.60	1.960	1	1	039923358301
T-580-80-LF-EL	1-1/2"	184.60	3.036	1	1	039923358318
T-580-80-LF-EL	2"	241.30	4.763	1	1	039923358325
T-580-80-LF-EL	2-1/2"	871.00	8.917	1	1	039923358332

**S-580-80-LF-EL - Lead-Free Performance Bronze™
Two-Piece - Conventional Port - Solder**

NSF/ANSI-61-8 (180F) and NSF/ANSI-372, IAPMO IGC-157, 600 PSI CWP, Extended Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-580-80-LF-EL	1-1/4"	\$ 152.60	1.960	1	1	039923358257
S-580-80-LF-EL	1-1/2"	184.60	3.036	1	1	039923358264
S-580-80-LF-EL	2"	241.30	4.763	1	1	039923358271
S-580-80-LF-EL	2-1/2"	871.00	8.917	1	1	039923358288

*Weighted average lead content ≤ 0.25%



**T-595-Y-LF - Lead Free Performance Bronze™
Three-Piece - Full Port - Threaded**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 600 PSI CWP, PTFE Seats, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-595-Y-LF	1/4"	\$ 98.97	1.000	5	50	039923319982
T-595-Y-LF	3/8"	98.97	0.900	5	50	039923319999
T-595-Y-LF	1/2"	113.50	1.000	5	50	039923320018
T-595-Y-LF	3/4"	139.20	1.700	5	30	039923320032
T-595-Y-LF	1"	180.50	2.600	5	20	039923320056
T-595-Y-LF	1-1/4"	252.60	3.700	2	10	039923320070
T-595-Y-LF	1-1/2"	319.60	5.600	2	10	039923320094
T-595-Y-LF	2"	598.00	10.600	2	4	039923320117
T-595-Y-LF	2-1/2"	1,196.00	19.300	1	2	039923320131




**T-595-Y-66-LF - Lead Free Performance Bronze™
Three-Piece - Full Port - Threaded - Stainless Trim**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 600 PSI CWP, PTFE Seats, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-595-Y-66-LF	1/4"	\$ 126.90	1.000	5	50	039923320148
T-595-Y-66-LF	3/8"	126.90	0.900	5	50	039923320155
T-595-Y-66-LF	1/2"	145.40	1.000	5	50	039923320162
T-595-Y-66-LF	3/4"	181.50	1.600	5	30	039923320179
T-595-Y-66-LF	1"	237.20	2.800	5	20	039923320186
T-595-Y-66-LF	1-1/4"	323.80	3.900	2	10	039923320193
T-595-Y-66-LF	1-1/2"	414.50	5.600	2	10	039923320216
T-595-Y-66-LF	2"	771.00	11.000	2	4	039923320230
T-595-Y-66-LF	2-1/2"	1,553.00	21.000	1	2	039923320247


*Weighted average lead content ≤ 0.25%



**S-595-Y-LF - Lead Free Performance Bronze™
Three-Piece - Full Port - Solder**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 600 PSI CWP, PTFE Seats, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-595-Y-LF	1/4"	\$ 98.97	0.800	5	50	039923319807
S-595-Y-LF	3/8"	98.97	0.800	5	50	039923319814
S-595-Y-LF	1/2"	113.50	0.800	5	50	039923319821
S-595-Y-LF	3/4"	139.20	1.500	5	30	039923319838
S-595-Y-LF	1"	180.50	2.400	5	20	039923319845
S-595-Y-LF	1-1/4"	252.60	3.400	2	10	039923319852
S-595-Y-LF	1-1/2"	319.60	5.000	2	10	039923319869
S-595-Y-LF	2"	598.00	9.800	2	4	039923319876
S-595-Y-LF	2-1/2"	1,196.00	17.500	1	2	039923319883



**S-595-Y-66-LF - Lead Free Performance Bronze™
Three-Piece - Full Port - Solder - Stainless Trim**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 600 PSI CWP, PTFE Seats, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-595-Y-66-LF	1/4"	\$ 126.90	0.800	5	50	039923319890
S-595-Y-66-LF	3/8"	126.90	0.900	5	50	039923319906
S-595-Y-66-LF	1/2"	145.40	0.800	5	50	039923319913
S-595-Y-66-LF	3/4"	181.50	1.500	5	30	039923319920
S-595-Y-66-LF	1"	237.20	2.600	5	20	039923319937
S-595-Y-66-LF	1-1/4"	323.80	3.600	2	10	039923319944
S-595-Y-66-LF	1-1/2"	414.50	5.300	2	10	039923319951
S-595-Y-66-LF	2"	771.00	10.600	2	4	039923319968
S-595-Y-66-LF	2-1/2"	1,553.00	19.200	1	2	039923319975

**Lead-Free* Circuit Balancing Valves T/S-1810-LF available.
Reference BVPL price sheet.**

*Weighted average lead content ≤ 0.25%

Lead-Free Performance Bronze™ Ball Valve Handle Options T/S/PC-585-80/66-LF and T/S-595-Y/66-LF

Handle Options	1/4	3/8	1/2	3/4	1	1¼	1½	2	2½
CS Std Lever Handle White Coating	T091677 ASBLY	T091677 ASBLY	T091677 ASBLY	T091678 ASBLY	T091678 ASBLY	T091679 ASBLY	T091679 ASBLY	T091679 ASBLY	T091680 ASBLY
List Price	\$7.43	\$7.43	\$7.43	\$7.43	\$7.43	\$9.28	\$9.28	\$9.28	\$12.38
NOTE: CS Std Lever Handles are available in limited quantities only. Consult customer service.									
SS Std Lever Handle White Coating	T025737 ASBLY	T025737 ASBLY	T025737 ASBLY	T025738 ASBLY	T025738 ASBLY	T025739 ASBLY	T025739 ASBLY	T025739 ASBLY	—
List Price	\$11.35	\$11.35	\$11.35	\$14.44	\$14.44	\$21.65	\$21.65	\$21.65	—
CS Locking Lever Handle Assembly, White Coating	T026254 FG	T026254 FG	T026254 FG	T026255 FG	T026255 FG	T026256 FG	T026256 FG	T026256 FG	T026257 FG
List Price	\$9.28	\$9.28	\$9.28	\$12.38	\$12.38	\$14.44	\$14.44	\$14.44	\$19.59
SS Locking Lever Handle Assembly, White Coating	T066577 ASBLY	T066577 ASBLY	T066577 ASBLY	T066578 ASBLY	T066578 ASBLY	T066579 ASBLY	T066579 ASBLY	T066579 ASBLY	—
List Price	\$24.75	\$24.75	\$24.75	\$26.81	\$26.81	\$39.18	\$39.18	\$39.18	—
NIB-Seal® Handle Assembly, White Cap	T066335	T066335	T066335	T066336	T066336	T066337	T066337	T066337	—
List Price	\$24.75	\$24.75	\$24.75	\$25.78	\$25.78	\$35.06	\$35.06	\$35.06	—
Extended Lever Handle Assembly w/ Memory Stop, White Coating	R0591EM	R0591EM	R0591EM	R0592EM	R0592EM	R0593EM	R0593EM	R0593EM	R0594EM
List Price	\$31.96	\$31.96	\$31.96	\$34.03	\$34.03	\$40.21	\$40.21	\$40.21	\$46.40
Memory Stop Kit	R059506	R059506	R059506	R05950A	R05950A	R05950D	R05950D	R05950D	R05950E
List Price	Reference Commercial and Industrial Bronze Ball Valve (CBV) for current list prices								

Lead-Free Performance Bronze™ Ball Valve Handle Options T/S-580-80/66-LF

Handle Options	1¼	1½	2	2½	3
CS Std Lever Handle White Coating	T091678 ASBLY	T091679 ASBLY	T091679 ASBLY	T091679 ASBLY	T091680 ASBLY
List Price	\$7.43	\$9.28	\$9.28	\$9.28	\$12.38
NOTE: CS Std Lever Handles are available in limited quantities only. Consult customer service.					
CS Locking Lever Handle Assembly, White Coating	T026255 FG	T026256 FG	T026256 FG	T026256 FG	T026257 FG
List Price	\$12.38	\$14.44	\$14.44	\$14.44	\$19.59
NIB-Seal® Handle Assembly, White Cap	T066336	T066337	T066337	T066337	—
List Price	\$25.78	\$35.06	\$35.06	\$35.06	—
Extended Lever Handle Assembly w/ Memory Stop, White Coating	R0592EM	R0593EM	R0593EM	R0593EM	R0594EM
List Price	\$34.03	\$40.21	\$40.21	\$40.21	\$46.40
Memory Stop Kit	R05950A	R05950D	R05950D	R05950D	R05950E
List Price	Reference Commercial and Industrial Bronze Ball Valve (CBV) for current list prices				

*Weighted average lead content ≤ 0.25%



T-111-LF - Lead-Free Performance Bronze™ Gate Valve - Threaded
NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 300 PSI CWP, Screw-In Bonnet, Rising Stem, Solid Wedge

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-111-LF	1/4"	\$ 115.50	0.789	8	48	039923355058
T-111-LF	3/8"	115.50	0.764	8	48	039923355119
T-111-LF	1/2"	91.76	0.871	8	48	039923355126
T-111-LF	3/4"	111.40	1.19	10	50	039923355133
T-111-LF	1"	149.50	1.984	5	30	039923355140
T-111-LF	1-1/4"	218.60	2.663	2	20	039923355157
T-111-LF	1-1/2"	252.60	3.757	2	10	039923355164
T-111-LF	2"	322.70	5.56	2	10	039923355171



S-111-LF - Lead-Free Performance Bronze™ Gate Valve - Solder
NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 300 PSI CWP, Screw-In Bonnet, Rising Stem, Solid Wedge

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-111-LF	1/2"	\$ 100.10	0.727	8	48	039923355225
S-111-LF	3/4"	110.40	1.072	10	50	039923355249
S-111-LF	1"	150.60	1.765	5	30	039923355256
S-111-LF	1-1/4"	235.10	2.515	2	20	039923355263
S-111-LF	1-1/2"	271.20	3.423	2	10	039923355270
S-111-LF	2"	373.20	5.538	2	10	039923355287

Lead-Free* NIBCO® Press System® BRONZE GATE VALVES - 250 PSI†
PC-111-LF and PC-113-LF are also available!

Reference PRESS VALVES price sheet.



- Conforms to MSS SP-139
- Solid Wedge
- Press ends Leak Detection
- Non-Rising Stem / Rising Stem
- NSF/ANSI-61-8 commercial hot 180°F (includes Annex F and G) and NSF/ANSI-372
- Silicon Performance Bronze® alloy
- Screw-in Bonnet
- Sizes 1/2" - 3"

*Weighted average lead content ≤ 0.25%



T-113-LF - Lead-Free Performance Bronze™ Gate Valve - Threaded
NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 300 PSI CWP, Screw-In Bonnet, Non-Rising Stem, Solid Wedge

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-113-LF	1/4"	\$ 91.76	0.738	10	50	039923354990
T-113-LF	3/8"	91.76	0.713	8	48	039923355003
T-113-LF	1/2"	86.60	0.820	10	50	039923309877
T-113-LF	3/4"	103.10	1.100	10	50	039923309884
T-113-LF	1	131.00	1.820	5	30	039923309891
T-113-LF	1-1/4"	199.00	2.400	2	20	039923309907
T-113-LF	1-1/2"	229.90	3.510	2	10	039923309914
T-113-LF	2	277.40	4.930	2	10	039923309921



S-113-LF - Lead-Free Performance Bronze™ Gate Valve - Solder
NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 300 PSI CWP, Screw-In Bonnet, Non-Rising Stem, Solid Wedge

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-113-LF	1/2"	\$ 84.54	0.670	10	50	039923309938
S-113-LF	3/4"	93.82	0.990	10	50	039923309945
S-113-LF	1"	134.10	1.600	5	30	039923309952
S-113-LF	1-1/4"	206.20	2.250	2	20	039923309969
S-113-LF	1-1/2"	229.90	3.170	2	10	039923309976
S-113-LF	2"	324.80	4.600	2	10	039923309983

*Weighted average lead content ≤ 0.25%



T-413-Y-LF - Lead-Free Performance Bronze™ Check Valve - Threaded
NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 200 PSI CWP, Horizontal Swing, Y-Pattern, Integral Seat, TFE Disc

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-413-Y-LF	1/2"	\$ 117.60	0.550	10	50	039923309990
T-413-Y-LF	3/4"	136.10	0.900	10	50	039923310002
T-413-Y-LF	1"	188.70	1.460	5	30	039923310019
T-413-Y-LF	1-1/4"	267.10	2.170	5	20	039923310026
T-413-Y-LF	1-1/2"	311.40	2.950	2	10	039923310033
T-413-Y-LF	2"	456.80	4.790	2	10	039923310040



S-413-Y-LF - Lead-Free Performance Bronze™ Check Valve - Solder
NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 200 PSI CWP, Horizontal Swing, Y-Pattern, Integral Seat, TFE Disc

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-413-Y-LF	1/2"	\$ 122.70	0.550	10	50	039923310057
S-413-Y-LF	3/4"	165.00	0.880	10	50	039923310064
S-413-Y-LF	1"	246.40	1.480	5	30	039923310071
S-413-Y-LF	1-1/4"	344.40	2.220	5	20	039923310088
S-413-Y-LF	1-1/2"	403.10	3.000	2	10	039923310095
S-413-Y-LF	2"	591.00	4.870	2	10	039923310101

*Weighted average lead content ≤ 0.25%



T-480-Y-LF - Lead-Free Performance Bronze™ Ring Check® Valve - Threaded

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 250 PSI CWP, Inline Lift, Spring Actuated, TFE Disc

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-480-Y-LF	1/2"	\$ 79.39	0.360	10	100	039923310118
T-480-Y-LF	3/4"	98.97	0.480	10	100	039923310125
T-480-Y-LF	1"	127.90	0.770	10	50	039923310132
T-480-Y-LF	1-1/4"	164.00	1.140	5	30	039923310149
T-480-Y-LF	1-1/2"	180.50	1.630	5	30	039923310156
T-480-Y-LF	2"	250.60	2.270	5	10	039923310163



S-480-Y-LF - Lead-Free Performance Bronze™ Ring Check® Valve - Solder

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 250 PSI CWP, Inline Lift, Spring Actuated, TFE Disc

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-480-Y-LF	1/2"	\$ 82.48	0.400	10	100	039923310170
S-480-Y-LF	3/4"	92.79	0.520	10	100	039923310187
S-480-Y-LF	1"	121.70	0.850	10	50	039923310194
S-480-Y-LF	1-1/4"	152.60	1.280	5	30	039923310200
S-480-Y-LF	1-1/2"	180.50	1.750	5	30	039923310217
S-480-Y-LF	2"	277.40	2.700	5	10	039923310224

*Weighted average lead content ≤ 0.25%



T-685-80-LF - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 600 PSI CWP, PTFE Seats, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-685-80-LF	1/4"	\$ 30.00	0.380	8	80	039923319401
T-685-80-LF	3/8"	30.00	0.360	8	80	039923319418
T-685-80-LF	1/2"	30.00	0.530	8	80	039923299086
T-685-80-LF	3/4"	50.00	0.960	5	50	039923299147
T-685-80-LF	1"	59.00	1.320	4	40	039923299260
T-685-80-LF	1-1/4"	133.00	2.270	4	40	039923299338
T-685-80-LF	1-1/2"	176.30	3.120	2	8	039923299406
T-685-80-LF	2	267.10	4.520	2	8	039923299413



T-685-66-LF - Lead-Free Performance Bronze™
Two-Piece - Full Port - Threaded - Stainless Trim

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 600 PSI CWP, PTFE Seats, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
T-685-66-LF	1/4"	\$ 46.40	0.380	8	80	039923319425
T-685-66-LF	3/8"	47.50	0.360	8	80	039923319432
T-685-66-LF	1/2"	46.40	0.530	8	80	039923319456
T-685-66-LF	3/4"	86.60	0.960	5	50	039923319463
T-685-66-LF	1"	105.20	1.320	4	40	039923319470
T-685-66-LF	1-1/4"	220.70	2.270	4	40	039923319487
T-685-66-LF	1-1/2"	274.30	3.120	2	20	039923319494
T-685-66-LF	2"	384.60	4.520	2	20	039923319500

*Weighted average lead content ≤ 0.25%



**S-685-80-LF - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 600 PSI CWP, PTFE Seats, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-685-80-LF	1/4"	\$ 30.00	0.380	8	80	039923319371
S-685-80-LF	3/8"	30.00	0.360	8	80	039923319395
S-685-80-LF	1/2"	30.00	0.480	8	80	039923299420
S-685-80-LF	3/4"	50.00	0.900	5	50	039923299437
S-685-80-LF	1"	59.00	1.250	4	40	039923299444
S-685-80-LF	1-1/4"	133.00	2.140	4	40	039923299468
S-685-80-LF	1-1/2"	176.30	2.940	2	8	039923299475
S-685-80-LF	2"	267.10	4.460	2	8	039923299482



**S-685-66-LF - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder - Stainless Trim**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 600 PSI CWP, PTFE Seats, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-685-66-LF	1/4"	\$ 46.40	0.380	8	80	039923319517
S-685-66-LF	3/8"	46.40	0.360	8	80	039923319524
S-685-66-LF	1/2"	46.40	0.530	8	80	039923319531
S-685-66-LF	3/4"	86.60	0.960	5	50	039923319548
S-685-66-LF	1"	105.20	1.320	4	40	039923319555
S-685-66-LF	1-1/4"	220.70	2.270	4	40	039923319562
S-685-66-LF	1-1/2"	274.30	3.120	2	20	039923319579
S-685-66-LF	2"	384.60	4.520	2	20	039923319586



**S-685-80-D-LF - Lead-Free Performance Bronze™
Two-Piece - Full Port - Solder w/ Drain**

NSF/ANSI-61-8 (180°F) and NSF/ANSI-372, 600 PSI CWP, PTFE Seats, Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
S-685-80-D-LF	1/2"	\$ 30.00	0.504	8	80	039923299499
S-685-80-D-LF	3/4"	50.00	0.943	5	50	039923299543
S-685-80-D-LF	1"	58.77	1.114	4	40	039923299567

*Weighted average lead content ≤ 0.25%



T-FP-600A-LF - Lead-Free Brass
Two-Piece - Full Port - Dezincification Resistant - Threaded
NSF/ANSI-61-8, NSF/ANSI-372, IAPMO-IGC-157, UL, FM, and CSA** - Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
TFP600A-LF	1/4"	\$ 15.26	0.33	18	18	039923347343
TFP600A-LF	3/8"	15.26	0.38	18	18	039923347367
TFP600A-LF	1/2"	15.26	0.44	18	18	039923347374
TFP600A-LF	3/4"	20.92	0.66	12	12	039923347381
TFP600A-LF	1"	33.01	1.10	6	6	039923347398
TFP600A-LF	1-1/4"	58.58	1.57	4	4	039923347404
TFP600A-LF	1-1/2"	76.24	2.40	2	2	039923347411
TFP600A-LF	2"	110.10	3.37	2	2	039923347428
TFP600A-LF	2-1/2"	275.70	7.60	2	2	039923347459
TFP600A-LF	3"	361.90	9.36	2	2	039923347466
TFP600A-LF	4"	655.00	16.85	1	1	039923347473

** For specific listings and approvals, please reference product catalog page



T-FP-600A-LF-LL - Lead-Free Brass
Two-Piece - Full Port - Dezincification Resistant - Threaded
NSF/ANSI-61-8, NSF/ANSI-372, IAPMO-IGC-157, UL, FM, and CSA** - Locking Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
TFP600A-LF-LL	1/4"	\$ 16.24	0.34	18	18	039923347602
TFP600A-LF-LL	3/8"	16.24	0.36	18	18	039923347619
TFP600A-LF-LL	1/2"	16.24	0.48	18	18	039923347626
TFP600A-LF-LL	3/4"	22.26	0.74	12	12	039923347633
TFP600A-LF-LL	1"	35.11	1.20	6	6	039923347640
TFP600A-LF-LL	1-1/4"	61.03	2.00	4	4	039923347657
TFP600A-LF-LL	1-1/2"	79.42	2.75	2	2	039923347701
TFP600A-LF-LL	2"	114.70	3.75	2	2	039923347718
TFP600A-LF-LL	2-1/2"	287.20	8.15	2	2	039923347725
TFP600A-LF-LL	3"	376.90	9.95	2	2	039923347732
TFP600A-LF-LL	4"	682.00	18.80	1	1	039923347749

** For specific listings and approvals, please reference product catalog page

T-FP-600A-LF Handle Options noted on page 21.

*Weighted average lead content ≤ 0.25%



T-FP-600AD-LF - Lead-Free Brass
Two-Piece - Full Port with Drain - Dezincification Resistant - Threaded
NSF/ANSI-61-8, NSF/ANSI-372, IAPMO-IGC-157 - Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
TFP600AD-LF	1/2"	\$ 21.10	0.48	18	18	039923366122
TFP600AD-LF	3/4"	24.60	0.75	12	12	039923366139



S-FP-600A-LF - Lead-Free Brass
Two-Piece - Full Port - Dezincification Resistant - Solder
NSF/ANSI-61-8, NSF/ANSI-372, IAPMO-IGC-157 - Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
SFP600A-LF	3/8"	\$ 13.02	0.31	18	18	039923347480
SFP600A-LF	1/2"	13.36	0.41	18	18	039923347497
SFP600A-LF	3/4"	18.61	0.66	12	12	039923347503
SFP600A-LF	1"	30.31	1.20	6	6	039923347510
SFP600A-LF	1-1/4"	48.09	1.47	4	4	039923347527
SFP600A-LF	1-1/2"	69.96	2.42	2	2	039923347534
SFP600A-LF	2"	100.70	3.70	2	2	039923347541
SFP600A-LF	2-1/2"	272.30	7.49	2	2	039923347558
SFP600A-LF	3"	361.90	10.65	2	2	039923347565



S-FP-600AD-LF - Lead-Free Brass
Two-Piece - Full Port with Drain - Dezincification Resistant - Solder
NSF/ANSI-61-8, NSF/ANSI-372, IAPMO-IGC-157 - Standard Lever Handle

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
SFP600AD-LF	1/2"	\$ 18.46	0.46	18	18	039923347572
SFP600AD-LF	3/4"	21.90	0.71	12	12	039923347589
SFP600AD-LF	1"	31.36	1.28	6	6	039923347596

S-FP-600A-LF Handle Options noted on page 21.

*Weighted average lead content ≤ 0.25%

T-FP-600A-LF (Threaded) Handle Options and Stem Extensions

SIZE	1/4	3/8	1/2	3/4	1	1¼	1½	2	2½	3	4
Standard Lever Handle, White Coating	RL228H6	RL228H6	RL228H7	RL228HA	RL228HB	RL228HB	RL228HD	RL228HD	RL228HF	RL228HF	RL228HH
List Price	\$ 2.63	\$ 2.63	\$ 2.63	\$ 3.28	\$ 3.53	\$ 4.59	\$ 4.59	\$ 4.59	\$ 13.10	\$ 13.10	\$ 15.72
Locking Lever Handle, White Coating	RG33825	RG33825	RG33827	RG33828	RG3382A	RG3382B	RG3382D	RG3382D	RG3382E	RG3382E	RG3382H
List Price	\$ 3.72	\$ 3.72	\$ 3.92	\$ 4.33	\$ 4.33	\$ 4.33	\$ 5.00	\$ 5.00	\$ 15.16	\$ 15.16	\$ 19.50
Stem Extension (Field Assembly Only)	RG00825	RG00825	RG00826	RG00828	RG0082A	RG0082B	RG0082D	RG0082D	RG0082E	RG0082F	RG1182H
List Price	Reference Specialty Valve Products (SVP) for current list prices										

S-FP-600A-LF (Solder) Handle Options and Stem Extensions

SIZE	3/8	1/2	3/4	1	1¼	1½	2	2½	3
Standard Lever Handle, White Coating	RJ228H5	RJ228H6	RJ228H8	RJ228HA	RJ228HB	RJ228HD	RJ228HD	RJ228HF	RJ228HF
List Price	\$ 2.63	\$ 2.63	\$ 2.63	\$ 3.28	\$ 3.28	\$ 4.59	\$ 4.59	\$ 13.10	\$ 13.10
Stem Extension (Field Assembly Only)	RG11815	RG00818	RG00818	RG0081B	RG0081B	RG0081D	RG0081D	RG1181E	RG1181E
List Price	\$ 10.48	\$ 10.48	\$ 10.48	\$ 13.67	\$ 13.67	\$ 15.89	\$ 15.89	\$ 22.24	\$ 22.24



726-LF / 76-LF - Lead-Free Stop & Waste Valves

NSF/ANSI-61-G, 125 PSI CWP to 100° F, Max. Temp. 180° F

Figure No.	Size	List Price	Weight	Bag/Box Qty	Master Ctn. Qty	UPC
726-LF	1/2" Cup x Cup	\$ 25.05	0.600	10	60	039923299574
726-LF	3/4" Cup x Cup	28.62	0.662	10	60	039923299604
76-LF	1/2" FIP x FIP	29.80	0.482	10	60	039923299611
76-LF	3/4" FIP x FIP	33.38	0.554	10	60	039923299635

*Weighted average lead content ≤ 0.25%

Lead-Free PRO-Stop® Quarter-Turn Supply Stops - Solder x Compression

NSF/ANSI-61-9, NSF/ANSI-372, 125 PSI CWP Rated



Figure No.	Size	List Price	Weight	Master Ctn. Qty	UPC
7120-LF	1/2" x 1/2" OD - Straight	\$ 16.56	0.212	10	039923353832
7120-LF	1/2" x 3/8" OD - Straight	14.43	0.172	10	039923353849
7125-LF	1/2" x 1/4" OD - Angle	22.06	0.182	10	039923353887
7125-LF	1/2" x 1/2" OD - Angle	16.49	0.220	10	039923353856
7125-LF	1/2" x 3/8" OD - Angle	15.02	0.185	10	039923353894
7125DX-LF	1/2" x 3/8" x 3/8" OD Solder x Comp x Comp Dual Outlet - Angle	28.66	0.237	10	039923353870

Lead-Free PRO-Stop® Quarter-Turn Supply Stops - Compression x Compression

NSF/ANSI-61-9, NSF/ANSI-372, 125 PSI CWP Rated



Figure No.	Size	List Price	Weight	Master Ctn. Qty	UPC
7140-LF	3/8" OD x 3/8" OD - Straight	\$ 18.08	0.170	10	039923353962
7140-LF	1/2" OD x 3/8" OD - Straight	14.60	0.207	10	039923353924
7140-LF	1/2" OD x 1/2" OD - Straight	14.64	0.245	10	039923353917
7140-LF	5/8" OD x 1/4" OD - Straight	13.13	0.205	10	039923353931
7140-LF	5/8" OD x 3/8" OD - Straight	11.21	0.213	10	039923353948
7140-LF	5/8" OD x 1/2" OD - Straight	22.94	0.252	10	039923353955
7145-LF	3/8" OD x 3/8" OD - Angle	12.80	0.171	10	039923354006
7145-LF	1/2" OD x 3/8" OD - Angle	14.69	0.205	10	039923353993
7145-LF	1/2" OD x 1/2" OD - Angle	15.73	0.245	10	039923353986
7145-LF	5/8" OD x 1/4" OD - Angle	18.41	0.224	10	039923354037
7145-LF	5/8" OD x 3/8" OD - Angle	11.10	0.224	10	039923354044
7145-LF	5/8" OD x 1/2" OD - Angle	16.41	0.261	10	039923354051
7140F-LF	3/8" ODF x 3/8" OD Female - Straight	22.94	0.170	10	039923353979
7145F-LF	3/8" ODF x 3/8" OD Female Angle	12.80	0.176	10	039923354013
7145DX-LF	5/8" OD x 3/8" OD x 1/4" OD Dual Outlet - Angle	30.90	0.287	10	039923354020
7145DX-LF	5/8" OD x 3/8" OD x 3/8" OD Dual Outlet - Angle	22.86	0.284	10	039923354082

*Weighted average lead content ≤ 0.25%

Lead-Free PRO-Stop® Quarter-Turn Supply Stops - FIP x Compression

NSF/ANSI-61-9, NSF/ANSI-372, 125 PSI CWP Rated



Figure No.	Size	List Price	Weight	Master Ctn. Qty	UPC
7150-LF	3/8" FIP x 3/8" OD - Straight	\$ 13.01	0.160	10	039923354099
7150-LF	1/2" FIP x 3/8" OD - Straight	12.44	0.197	10	039923354112
7150-LF	1/2" FIP x 1/2" OD - Straight	14.45	0.228	10	039923354136
7155-LF	3/8" FIP x 3/8" OD - Angle	12.44	0.177	10	039923354143
7155-LF	1/2" FIP x 1/4" - Angle	15.52	0.207	10	039923354150
7155-LF	1/2" FIP x 3/8" OD- Angle	12.70	0.209	10	039923354167
7155-LF	1/2" FIP x 1/2" OD - Angle	19.24	0.246	10	039923354174
7155DX-LF	1/2" FIP x 3/8" OD x 1/4" OD Dual Outlet - Angle	22.84	0.263	10	039923354198
7155DX-LF	1/2" FIP x 3/8" OD x 3/8" OD Dual Outlet - Angle	30.01	0.260	10	039923354181

Lead-Free PRO-Stop® Quarter-Turn Supply Stops - PEX x Compression

NSF/ANSI-61-9, NSF/ANSI-372, 125 PSI CWP Rated



Figure No.	Size	List Price	Weight	Master Ctn. Qty	UPC
7160-LF	1/2" PEX x 1/4" OD - Straight	\$ 12.35	0.153	5	039923354235
7160-LF	1/2" PEX x 3/8"OD - Straight	14.80	0.152	10	039923354211
7160M-LF	1/2" PEX x 1/2" MIP - Straight	13.05	0.159	10	039923354273
7165-LF	1/2" PEX x 1/4" OD - Angle	11.22	0.165	5	039923354297
7165-LF	1/2" PEX x 3/8" OD - Angle	13.40	0.164	10	039923354280

Lead-Free PRO-Stop® Quarter-Turn Supply Stops - PEX x PEX

NSF/ANSI-61-9, NSF/ANSI-372, 125 PSI CWP Rated



Figure No.	Size	List Price	Weight	Master Ctn. Qty	UPC
7160PEX-LF	1/2" PEX x 1/2" PEX - Straight	12.89	0.134	10	039923354259
7165PEX-LF	1/2" PEX x 1/2" PEX - Angle	16.88	0.148	5	039923354303

Lead-Free PRO-Stop® Quarter-Turn Supply Stops - CPVC x Compression

NSF/ANSI-61-9, NSF/ANSI-372, 125 PSI CWP Rated



Figure No.	Size	List Price	Weight	Master Ctn. Qty	UPC
7170-LF	1/2" CPVC X 3/8" OD - Straight	\$ 15.03	0.262	10	039923354310
7175-LF	1/2" CPVC X 3/8" OD - Angle	14.13	0.279	10	039923354327

*Weighted average lead content ≤ 0.25%

FEATURING NIBCO® SYSTEMS

NIBCO® PEX Piping Systems • NIBCO® Press System®

FITTINGS



Wrot and cast copper pressure and drainage fittings • Cast copper alloy flanges
• Wrot and cast press fittings • ABS and PVC DWV fittings • Schedule 40 PVC pressure fittings • CPVC CTS fittings • CPVC CTS-to-metal transition fittings
• Schedule 80 PVC and CPVC systems • CPVC metric piping systems • CPVC BlazeMaster® fire protection fittings • Lead-Free* fittings

BlazeMaster® is a registered trademark of The Lubrizol Corporation.
*Weighted average lead content ≤0.25%

VALVES & ACTUATION

Pressure-rated bronze, iron and alloy-iron gate, globe and check valves • Pressure-rated bronze ball valves • Boiler specialty valves • Commercial and industrial butterfly valves • Circuit balancing valves • Carbon and stainless steel ball valves • ANSI flanged steel ball valves • Pneumatic and electric actuators and controls • Grooved ball and butterfly valves • High performance butterfly valves • UL/FM fire protection valves • MSS specification valves • Bronze specialty valves • Low pressure gate, globe, check and ball valves • Frostproof sillcocks • Quarter-turn supply stops • Quarter-turn low pressure valves • PVC ball valves • CPVC CTS ball valves • Just Right® recirculating valves • Bronze & Iron Y-Strainers • Lead-Free* valves

*Weighted average lead content ≤0.25%



CHEMTROL®



Thermoplastic pipe, valves and fittings in PVC, Corzan® CPVC, polypropylene and PVDF Kynar® • Pneumatic and electric actuation systems

Corzan® is a registered trademark of The Lubrizol Corporation. • Kynar® is a registered trademark of Arkema Inc.

eNIBCO

EDI—Electronic Data Interchange • VMI—Vendor Managed Inventory • NIBCO.com • NIBCOpartner.com



NIBCO®
AHEAD OF THE FLOW®

NIBCO INC.
WORLD HEADQUARTERS
WEB: www.nibco.com

1516 MIDDLEBURY STREET
ELKHART, IN 46516-4740
USA

DOMESTIC CUSTOMER SERVICE
PHONE: 800.234.0227
FAX: 800.234.0557

TECHNICAL SERVICE
PHONE: 888.446.4226
FAX: 888.336.4226

INTERNATIONAL OFFICE
PHONE: +1/574.295.3327
FAX: +1/574.295.3455