



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Friday, May 16, 2014** at 12:15 a.m. Eastern Time. Please [contact NSF International](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/Plumbing/Listings.asp?ProductStandard=IAPMO+PS%2D117&CompanyName=nibco&>

MP Mechanical Plumbing Products

Nibco Inc.

[\(http://www.nibco.com/\)](http://www.nibco.com/)

World Headquarters
1516 Middlebury Street
Elkhart, IN 46516-4740
United States
574-295-3000

[Visit this company's website \(http://www.nibco.com/\)](http://www.nibco.com/)

Facility : Stuarts Draft, VA

| Product Type | Material Type | Trade Name | Product Standard |
|--|---------------|--------------------|------------------|
| <i>Fittings! + § ç [G]</i> | <i>MLTPL</i> | <i>NIBCO IAPMO</i> | <i>PS-117</i> |
| PC707-3-5 Prs x F 90° Drop Elbow 1/2" | 3/4" | | |
| PC707-3-5A Prs x Prs 90° High Ear 1/2" | | | |

! Product is exempt from bearing the PS 117 and/or CSA MSE 13 performance standard(s).

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

ç All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! + § ç [G]**MLTPL**NIBCO IAPMO
PS-117***PC603 Press x F Adapter**

1/2" x 3/8"

1" x 1/2"

1" x 1 1/2" x
1/4" 3/4"

1 1/4" x 1 1/2"

PC604 Press x M Adapter

1/2" x 3/8"

! Product is exempt from bearing the PS 117 and/or CSA MSE 13 performance standard(s).

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

ç All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! + § ç [G]**MLTPL**NIBCO IAPMO
PS-117***PC607-3 Press x F 90° Elbow**

1/2"

3/4"

1" 1 1/4"

1 1/2"

2"

1/2" x 1/2" x

3/4" x 1/2"

3/4" 3/8"

PC607-4 Press x M 90° Elbow

1/2"

3/4"

1" 1 1/4"

1 1/2"

2"

1/2" x 3/4" x

3/4" 1/2"

PC612 Press x Press x F Tee

1/2"

2" x 2" x 3/4"

1" x 1" 1" x 1" x
x 1/2" 3/4"

1 1/2" x 1 1/2" x 1/2"

1 1/2" x 1 1/2" x 3/4"

1 1/4" 1 1/4" x 1

x 1 1/4" x

1/4" x 3/4"

1/2"

2" x 2" x 1/2"

3/4" x 3/4" x 1/2"

3/4" x

3/4" x

1/4"

! Product is exempt from bearing the PS 117 and/or CSA MSE 13 performance standard(s).

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

¿ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

| <i>Fittings! + S¿ [G]</i> | <i>MLTPL</i> | <i>NIBCO IAPMO PS-117</i> |
|--|------------------|------------------------------------|
| PC600-2 Ftg x Press Reducer | | |
| 1 1/2" x 1 1/2" | 1 1/4" x 1 1/4" | 1" x 1" 1/2" x 1/2" |
| 2" x 1 1/2" x 1 1/2" | 2" x 1 1/2" x 1" | 2" x 2" x 1 1/2" x 1 1/4" |
| 2" x 2" | 3/4" x 3/4" | 1 1/4" x 1 1/4" x 1" x 3/4" |
| 1" x 1 1/2" | 1" x 3/4" | 1 1/2" x 1 1/2" x 1" x 1/2" |
| 1 1/2" x 1 1/4" | 1 1/2" x 3/4" | 2" x 1" x 2" x 1 1/2" |
| 2" x 1 1/2" | 2" x 1 1/4" | 2" x 3/4" x 3/4" x 1/2" |
| 3" x 1 1/4" | 3" x 1 1/2" | 3" x 2" x 3" x 2" x 1/2" |
| 4" x 2" | 4" x 2 1/2" | 4" x 3" |
| PC600-DS Press x Press Coupling | | |
| 1/2" | 3/4" | 1" x 1 1/4" |
| 1 1/2" | 2" | 2 1/2" x 3" |
| 4" | | |
| PC600-R Press x Press Reducing Coupling | | |
| 3/4" x 1 1/2" | 1" x 1 1/2" | 1" x 1 1/4" x 3/4" x 3/4" |
| 1 1/4" x 1" | 1 1/2" x 1" | 1 1/2" x 1 1/2" x 1" x 3/4" x 1/4" |
| 2" x 1" | 2" x 1 1/2" | 2" x 1" x 2" x 3/4" x 1/4" |
| 2 1/2" x 1" | 2 1/2" x 1 1/4" | 2 1/2" x 2 1/2" x 1" x 2" x 1/2" |
| 3" x 1 1/2" | 3" x 2" | 3" x 2" x 4" x 2" x 1/2" |
| 4" x 2 1/2" | 4" x 3" | |
| PC600-RS Roll Stop Press x Press Coupling | | |
| 2 1/2" | 3" | 4" |
| PC601 Press x Press Repair Coup (No Stop) | | |
| 1/2" | 3/4" | 1" x 1 1/4" |
| 1 1/2" | 2" | 2 1/2" x 3" |
| 4" | | |

PC603 Press x F Adapter

| | | | |
|---------------|-------------|-------------|-----------------|
| 1/2" | 1/2" x 3/8" | 3/4" | 1" |
| 1" x 1/2" | 1" x 1 1/4" | 1 1/4" | 1 1/4" x 1 1/2" |
| 1 1/2" x 3/4" | 1 1/2" | 2" | 2 1/2" |
| 1 1/4" x 1" | 1" x 3/4" | 1/2" x 3/4" | 1 1/2" x 1 1/4" |
| 3/4" x 1 1/2" | 3" | 3/4" | 1/4" |
| | | 4" | |

PC604 Press x M Adapter

| | | | |
|-----------------|-----------------|-------------|---------|
| 1/2" | 1/2" x 3/8" | 1/2" x 3/4" | 3/4" |
| 3/4" x 1 1/2" | 1" | 1" x 1" | 1" x 1" |
| 1 1/4" | 1 1/4" x 1 1/2" | 3/4" | 1/4" |
| 1 1/2" x 1 1/4" | 2" | 1 1/4" | 1 1/2" |
| 4" | | x 1" | |
| | | 2 1/2" | 3" |

PC604P Pex x Press Adapter

| | | | |
|-------------|-------------|-------------|--------|
| 1" x 1" | 1/2" x 1/2" | 1/2" x 3/4" | x 3/4" |
| 3/4" x 3/4" | | 3/4" | 1/2" |

PC606 Press x Press 45° Elbow

| | | | |
|--------|------|--------|--------|
| 1/2" | 3/4" | 1" | 1 1/4" |
| 1 1/2" | 2" | 2 1/2" | 3" |
| 4" | | | |

PC606-2 Ftg x Press 45° Elbow

| | | | |
|--------|------|--------|--------|
| 1/2" | 3/4" | 1" | 1 1/4" |
| 1 1/2" | 2" | 2 1/2" | 3" |
| 4" | | | |

PC607 Press x Press 90° Elbow

| | | | |
|--------|------|--------|--------|
| 1/2" | 3/4" | 1" | 1 1/4" |
| 1 1/2" | 2" | 2 1/2" | 3" |
| 4" | | | |

PC607-2 Ftg x Press 90° Elbow

| | | | |
|--------|------|----|--------|
| 1/2" | 3/4" | 1" | 1 1/4" |
| 1 1/2" | 2" | | |

PC607-2-LT Ftg x Press 90° Long Turn Elbow

2 1/2"

PC607-2-LT Ftg x Press 90° Long Turn Elbow

| | |
|--------------------|----------------|
| 3/4" x 3/4" x 1/4" | 1" x 1" x 3/4" |
|--------------------|----------------|

PC607-2-LT Ftg x Press 90° Long Turn Elbow

3"

PC607-2-LT Ftg x Press 90° Long Turn Elbow

| | | | |
|------------------------|------------------------|--------|-------------|
| 1 1/4" x 1 1/4" x 1/2" | 1 1/4" x 1 1/4" x 3/4" | 2 1/2" | 2 1/2" x 2" |
| | | x 2 | 2 1/2" x 2" |

| | | |
|---|--------------------------|--|
| 3" x 3" x 3/4" | 3" x 3" x 2" | 1/2" x 3/4" 4" x 4" 4" x 4" x x 3/4" 2" |
| PC607-LT Press x Press 90° Long Turn Elbow 2 1/2" | 3" | 4" |
| PC607-R Press x M 90° Elbow 3/4" x 1/2" | | |
| PC611 Press Tee 1/2" | 1/2" x 1/2" x 3/4" | 1/2" x 3/4" 1/2" x 1" |
| 3/4" x 1/2" x 1/2" | 3/4" x 1/2" 3/4" | 3/4" x 3/4" x 3/4" x 3/4" x 1" 1/2" |
| 1" | 1" x 1/2" x 1" | 1" x 1" x 3/4" 3/4" x 1/2" 3/4" |
| 1" x 3/4" x 1" | 1" x 1" x 1/2" | 1" x 1" 1" x 1" x x 3/4" 1 1/4" |
| 1 1/4" | 1 1/2" | 2" 1 1/2" x 1" x 1" |
| 1 1/2" x 1" x 1 1/2" | 1 1/2" x 1" x 3/4" | 1 1/2" 1 1/2" x 1 x 1/2" 1/2" x 1" x 1 1/2" |
| 1 1/2" x 1 1/2" x 1/2" | 1 1/2" x 1 1/2" x 1 1/4" | 1 1/2" 1 1/2" x 1 x 1 1/4" x 1" 1/2" x 3/4" |
| 1 1/2" x 1 1/4" x 1 1/4" | 1 1/2" x 3/4" x 3/4" | 1 1/4" 1 1/4" x x 1" x 1" x 3/4" 1" |
| 1 1/4" x 1 1/4" x 1" | 1 1/4" x 1 1/4" x 1/2" | 1 1/4" 2" x 1" x x 1 1" 1/4" x 3/4" |
| 2" x 1" x 2" | 2" x 1/2" x 2" | 2" x 1 2" x 1 1/2" x 1/2" x 1 1" 1/2" |
| 2" x 1 1/2" x 1 1/4" | 2" x 1 1/2" x 3/4" | 2" x 1 2" x 2" x 1/4" x 1" 1 1/4" |
| 2" x 2" x 1/2" | 2" x 2" x 1 1/2" | 2" x 2" 2" x 2" x x 1 3/4" 1/4" |
| 2 1/2" | 2 1/2" x 3/4" x 2 1/2" | 2 1/2" 2 1/2" x x 1" x 2 1 1/4" x 1/2" 2 1/2" |
| 2 1/2" x 1 1/2" x 2 1/2" | 2 1/2" x 2" x 3/4" | 2 1/2" 2 1/2" x x 2" x 2" x 1 1" 1/4" |

| | | |
|--|--------------------------|--|
| 2 1/2" x 2" x 2" | 2 1/2" x 2" x 2 1/2" | 2 1/2" 2 1/2" x x 2 2 1/2" x 1/2" x 3/4" 1/2" |
| 2 1/2" x 2 1/2" x 1" | 2 1/2" x 2 1/2" x 1 1/4" | 2 1/2" 2 1/2" x x 2 2 1/2" x 1/2" x 2" 1 1/2" |
| 3" | 3" x 3/4" x 3" | 3" x 1" 3" x 1 x 3" 1/4" x 3" |
| 3" x 1 1/2" x 3" | 3" x 2" x 2" | 3" x 2" 3" x 2 x 3" 1/2" x 2" |
| 3" x 2" x 2 1/2" | 3" x 2 1/2" x 2 1/2" | 3" x 2 3" x 3" x 1/2" x 1/2" 3" |
| 3" x 3" x 3/4" | 3" x 3" x 1" | 3" x 3" 3" x 3" x x 1 1 1/2" 1/4" |
| 3" x 3" x 2" | 3" x 3" x 2 1/2" | 4" 4" x 2" x 4" |
| 4" x 2 1/2" x 4" | 4" x 3" x 2" | 4" x 3" 4" x 3" x x 2 3" 1/2" |
| 4" x 3" x 4" | 4" x 4" x 3/4" | 4" x 4" 4" x 4" x x 1/2" 1" |
| 4" x 4" x 1 1/4" | 4" x 4" x 1 1/2" | 4" x 4" 4" x 4" x x 2" 2 1/2" |
| 4" x 4" x 3" | | |
| PC617 Press Tube Cap | | |
| 1/2" | 3/4" | 1" 1 1/4" |
| 1 1/2" | 2" | |
| PC633 Press x Press Union | | |
| 1/2" | 3/4" | 1" 1 1/4" |
| 1 1/2" | 2" | |
| PC633-3 Press x F Union | | |
| 1/2" | 3/4" | 1" 1 1/4" |
| 1 1/2" | 2" | |
| PC633-4 Press x M Union | | |
| 1/2" | 3/4" | 1" 1 1/4" |
| 1 1/2" | 2" | |
| PC636 Press x Press Crossover Coup | | |
| 1/2" | 3/4" | |
| PC641 Press Flange Adapter | | |
| 2 1/2" | 3" | 4" |
| PC695 Press x Ftg x Press 1 Outlet Manifold | | |
| 1" x 1" x 1/2" | | |
| PC696 Press x Ftg x Press 3 Outlet Manifold | | |
| 1" x 1" x 1/2" | | |

! Product is exempt from bearing the PS 117 and/or CSA MSE 13 performance standard(s).
 + Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.
 § Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.
 ζ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.
 [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings! + § ζ

MLTPL

*NIBCO IAPMO
PS-117*

PC741 Press x Flange

1"

2"

1 1/4" 1 1/2"

! Product is exempt from bearing the PS 117 and/or CSA MSE 13 performance standard(s).
 + Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.
 § Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.
 ζ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

Facility : Reynosa, Tamaulipas, Mexico

Product Type

Material Type

**Trade Product
Name Standard**

Fittings! + § ζ [G]

Brass

*NIBCO IAPMO
PS-117*

PC707-3-5 Press x F 90° Drop Elbow

3/4"

PC707-3-5 Press x F 90° Drop Elbow

1/2"

PC707-3-5A Prs x Prs 90° High Ear

1/2"

! Product is exempt from bearing the PS 117 and/or CSA MSE 13 performance standard(s).
 + Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.
 § Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.
 ζ All Listed products from this facility are NSF Certified, whether or not they bear the NSF Mark.
 [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state

laws and the U.S. Safe Drinking Water Act.

NOTE: NSF has not conducted production control audits at this facility. Product Listing is based on type testing [ISO/IEC Guide 2: 1996(E/F/R) 14.5].

Number of matching Manufacturers is 1

Number of matching Products is 336

Processing time was 0 seconds