IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org





CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Effective Date:	December 2012	Void After:	December	2013
Product:	California Lead Plumbing Law - Devices and Componen	ts	File No.	6251
Issued To:	Nibco, Inc. 1516 Middlebury St. Elkhart, IN 46516-4714			

- Identification: Each product shall bear permanent and legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product and/or product packaging may also bear the term "Lead Plumbing Law", "Complies with Lead Plumbing Law", or "Low-Lead" above or in close proximity to the appropriate IAPMO R&T certification mark, or the term "Certified by IAPMO R&T". The product packaging may also bear a grey dot, a check mark with circle, or any other home centers marking requirements.
- Characteristics: Products listed below are to be installed in accordance with the manufacturer's instruction. These products have been verified with weighted average lead content <=0.25%; Solder and flux lead content <=0.2%.

Manufactured in compliance Section 116875 of the California Health & Safety Code (commonly known as AB1953) and NSF/ANSI 372-2010.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Chairman, Product Certification Committee

CEO The IAPMO Group

For the most accurate and updated information please visit http://pld.iapmo.org/6251

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.



Page 2

Void After: December 2013

Product:California Lead Plumbing Law - Devices and ComponentsFile No. 6251

Issued To: Nibco, Inc.

Products are in compliance with the following standard(s): Section 116875 of the California Health & Safety Code (commonly known as AB1953) NSF/ANSI 372-2010

Page 3

Void After: December 2013

Product:	California Lead	Plumbing Law	- Devices and Components	File No. 6251

Issued To: Nibco, Inc.

MODELS:

76-LF	1/2 F x F
76-LF	3/4 F x F
726-LF	1/2 C x C
726-LF	3/4 C x C
4733-LF	1/2 CPVC Slip x Brass Solder
4733-LF	3/4 CPVC Slip x Brass Solder
4733-3-LF	1/2 Transition Union CPVC Slip x Brass FIPT
4733-3-LF	3/4 Transition Union CPVC Slip x Brass FIPT
4733-3-LF	1 Transition Union CPVC Slip x Brass FIPT
4733-4-LF	1/2 Transition Union CPVC Slip x Copper MIPT
4733-4-LF	3/4 Transition Union CPVC Slip x Copper MIPT
4733-4-LF	1/2" x 3/4" Transition Union CPVC Slip x Copper MIPT
LD 1000	14" thru 24" Ductile Iron Butterfly Valves, Lug Style
LD 2000	2" thru 24" Ductile Iron Butterfly Valves, Lug Style
WD 2000	2" thru 12" Ductile Iron Butterfly Valves, Wafer Style
F-607-RW 2-1/2"	
F-607-RW 3"	
F-607-RW 4"	
F-607-RW 6"	
F-607 RW 8"	
F-607-RW 10"	
F-607-RW 12"	
F-609-RW 4"	
F-609-RW 6"	
F-609-RW 8"	
F-609-RW 10"	
F-609-RW 12"	
FM-609-RW 4"	
FM-609-RW 6"	
FM-609-RW 8"	
FM-609-RW 10"	
FM-609-RW 12"	
M-609-RW 4"	
M-609-RW 6"	
M-609-RW 8"	
M-609-RW 10"	
M-609-RW 12"	
F-619-RW 2"	
F-619-RW 2.5"	
F-619-RW 3"	
F-619-RW 4"	
F-619-RW 6"	
F-619-RW 8"	
F-619-RW 10" F-619-RW 12"	
L-OTA-KM IS	

Page 4

Void After: December 2013

Product:	California Lead Plumbing Law - Devi	ces and Components	File No. 6251

Issued To: Nibco, Inc.

FM-619-RW 3" FM-619-RW 4" FM-619-RW 6" FM-619-RW 8" FM-619-RW 10" FM-619-RW 12" FPCR-619-RW 4" FPCR-619-RW 6" FPCR-619-RW 8" FPCR-619-RW 10" FPCR-619-RW 12" MJ-619-RW 3" MJ-619-RW 4" MJ-619-RW 6" MJ-619-RW 8" MJ-619-RW 12" MJ-619-RW 10" P-619-RW 2" P-619-RW 2.5" P-619-RW 3" P-619-RW 4" P-619-RW 6" P-619-RW 8" P-619-RW 10" P-619-RW 12" PCR-619-RW 4" PCR-619-RW 6" PCR-619-RW 8" PCR-619-RW 10" PCR-619-RW 12"

FIGURE NUMBER	TRADE NAME	DESCRIPTION	NOMINAL SIZE	LENGTH
NP60	NIBCO® PEX	Tubing, Red	3/8	5' to 50,000'
NP60	NIBCO® PEX	Tubing, Red	1/2	5' to 40,000'
NP60	NIBCO® PEX	Tubing, Red	3/4	5' to 20,000'
NP60	NIBCO® PEX	Tubing, Red	1	5' to 12,500'
NP60	NIBCO® PEX	Tubing, Red	1 1/4	5' to 10,000'
NP65	NIBCO® PEX	Tubing, Terra Cotta	1/4	5' to 60,000'
NP65	NIBCO® PEX	Tubing, Terra Cotta	3/8	5' to 50,000'

Page 5

Void After: December 2013

File No. 6251

Product: California Lead Plumbing Law - Devices and Comp
--

Issued To: Nibco, Inc.

				5' to 40,000'
NP65	NIBCO® PEX	Tubing, Terra Cotta	1/2	,
				5' to 20,000'
NP65	NIBCO® PEX	Tubing, Terra Cotta	3/4	
				5' to 12,500'
NP65	NIBCO® PEX	Tubing, Terra Cotta	1	5' to 10,000'
NP65	NIBCO® PEX	Tubing, Terra Cotta	1 1/4	· · · · · · · · · · · · · · · · · · ·
				5' to 60,000'
NP70	NIBCO® PEX	Tubing, Blue	1/4	
11070			2.40	5' to 50,000'
NP70	NIBCO® PEX	Tubing, Blue	3/8	5' to 40,000'
NP70	NIBCO® PEX	Tubing, Blue	1/2	5 10 40,000
112 / 0				5' to 20,000'
NP70	NIBCO® PEX	Tubing, Blue	3/4	
				5' to 12,500'
NP70	NIBCO® PEX	Tubing, Blue	1	
1070	NIDGOS DEV		1 1 / 4	5' to 10,000'
NP70	NIBCO® PEX	Tubing, Blue	1 1/4	5' to 60,000'
NP80	NIBCO® PEX	Tubing, White	1/4	5 10 00,000
112 0 0		1001119, 111200	-/ -	5' to 50,000'
NP80	NIBCO® PEX	Tubing, White	3/8	
				5' to 40,000'
NP80	NIBCO® PEX	Tubing, White	1/2	
NDOO	NIDGOS DEV	The ladie of Table 1 to	2/4	5' to 20,000'
NP80	NIBCO® PEX	Tubing, White	3/4	5' to 12,500'
NP80	NIBCO® PEX	Tubing, White	1	J' LO 12, 500'
NP80	NIBCO® PEX	Tubing, White	1 1/4	5' to 10,000'

THE FOLLOWING MODELS COMPLY WITH NSF/ANSI 61 - ANNEX G:

Models:

Model No.	<u>Description</u>
76-LF	1/2 F x F
76-LF	3/4 F x F
726-LF	1/2 C x C
726-LF	3/4 C x C
4733-LF	1/2 CPVC Slip x Brass Solder
4733-LF	3/4 CPVC Slip x Brass Solder
4733-3-LF	1/2 Transition Union CPVC Slip x Brass FIPT
4733-3-LF	3/4 Transition Union CPVC Slip x Brass FIPT
4733-3-LF	1 Transition Union CPVC Slip x Brass FIPT

Page 6

Void After: December 2013

Product:	California Lead Plumbing Law - Devices and Components	File No. 6251
Issued To:	Nibco, Inc.	

4733-41/2 Transition Union CPVC Slip x Copper MIPT4733-43/4 Transition Union CPVC Slip x Copper MIPT4733-41/2" x 3/4" Transition Union CPUC Stip

- 1/2" x 3/4" Transition Union CPVC SLip x Copper MIPT

Page 7

Void After: December 2013

Product: California Lead Plumbing Law - Devices and Components File No. 6251

Issued To: Nibco, Inc.

ADDITIONAL COMPANY INFO:

ALLEN COMPANY

Model No.		Description
PLR12 1/2	Х	20 LENGTH RED TUBE
PLR34 3/4	Х	20 LENGTH RED TUBE
PCR12100		1/2 X 100 COIL RED TUBE
PCR12300		1/2 X 300 COIL RED TUBE
PCR12500		1/2 X 500 COIL RED TUBE
PCR34100		3/4 X 100 COIL RED TUBE
PCR34300		3/4 X 300 COIL RED TUBE
PCR34500		3/4 X 500 COIL RED TUBE
PLB12 1/2	Х	20 LENGTH BLUE TUBE
PLB34 3/4	Х	20 LENGTH BLUE TUBE
PCB12100		1/2 X 100 COIL BLUE TUBE
PCB12300		1/2 X 300 COIL BLUE TUBE
PCB12500		1/2 X 500 COIL BLUE TUBE
PCB34100		3/4 X 100 COIL BLUE TUBE
PCB34300		3/4 X 300 COIL BLUE TUBE
PCB34500		3/4 X 500 COIL BLUE TUBE
PLW12 1/2	Х	20 LENGTH WHITE TUBE
PLW34 3/4	Х	20 LENGTH WHITE TUBE
PCW12100		1/2 X 100 COIL WHITE TUBE
PCW12300		1/2 X 300 COIL WHITE TUBE
PCW12500		1/2 X 500 COIL WHITE TUBE
PCW34100		3/4 X 100 COIL WHITE TUBE
PCW34300		3/4 X 300 COIL WHITE TUBE
PCW34500		3/4 X 500 COIL WHITE TUBE
PLW1 1 X	20) LENGTH WHITE TUBE
PCW1100		1 X 100 COIL WHITE TUBE
PCW1300		1 X 300 COIL WHITE TUBE
PCW1500		1 X 500 COIL WHITE TUBE

RADIANT FLOOR COMPANY

Model No.	Description						
78XL200	7/8	Х	200	TERRA	COTTA	DURA-POLY	XL
78XL250	7/8	Х	250	TERRA	COTTA	DURA-POLY	XL
78XL300	7/8	Х	300	TERRA	COTTA	DURA-POLY	XL
78XL400	7/8	Х	400	TERRA	COTTA	DURA-POLY	XL

RADIANTEC INC.

<u>Model No.</u> <u>Description</u>

Page 8

Void After: December 2013

Product:	California Lead	Plumbing	Law - Devices	and Components	File No.	6251
I I OGGOC ·	carrentia neaa	T T GUUD THE	Law Devieeb	and componences	IIIC NO.	0251

Issued To: Nibco, Inc.

PX40516RT	1/2	Х	200	COIL TERRA COTTA
PX40518RT	1/2	Х	250	COIL TERRA COTTA
PX40519RT	1/2	Х	300	COIL TERRA COTTA
PX40052RT	5/8	Х	200	RED PIPE
PX40053RT	5/8	Х	250	RED PIPE
PX40054RT	5/8	Х	300	RED PIPE
PX40270SWRT	5/8	Х	200	.070 WALL WH PIPE
PX40271SWRT	5/8	Х	250	.070 WALL WH PIPE
PX40272SWRT	5/8	Х	300	.070 WALL WH PIPE
PX40556SPRT	7/8	Х	200	TERRA COTTA PIPE
PX40560SPRT	7/8	Х	250	TERRA COTTA PIPE
PX40558SPRT	7/8	Х	300	TERRA COTTA PIPE
PX40559SPRT	7/8	Х	400	TERRA COTTA PIPE