



# Ensemble™ Curve

42" x 34" Vikrell® shower with Aging in Place  
backerboards, center drain  
**72210106**



## Features

- 4-1/2" (114 mm) threshold
- Durable high-gloss finish
- Three-piece tongue-and-groove walls with snap-together installation
- Convenient shelves, shaving ledge/footrest
- Aging in Place backerboards

## Material

- Made from solid Vikrell® material for strength, durability, and lasting beauty

## Installation

- Alcove
- Center drain
- Some caulk required for proper installation

## Recommended Products/Accessories

1500D-42 Framed pivot shower door  
80001012 12" straight grab bar  
80001018 18" straight grab bar  
80001024 24" straight grab bar  
80011032 32" straight grab bar  
80001036 36" straight grab bar  
K-23726 Drain treatment  
K-23733 Vikrell® cleaner

## Included Components

72205106 34" Vikrell® shower end wall set with Aging in Place backerboards  
72111100 42" x 34" Vikrell® shower base, center drain  
72212106 42" Vikrell® shower back wall with Aging in Place backerboards



## Codes/Standards

CSA B45.5/IAPMO Z124  
ASTM E162  
ASTM E662  
HUD, UM Bulletin 73  
IAPMO Certification


## STERLING® Vikrell® or Acrylic Baths and Shower Bases Ten-Year Limited Warranty

See website for detailed warranty information.

## Available Colors/Finishes


*Color tiles intended for reference only.*

### Color Code Description

|   |   |       |
|---|---|-------|
|  | 0 | White |
|---|---|-------|

# Ensemble™ Curve

42" x 34" Vikrell® shower with Aging in Place  
backerboards, center drain  
**72210106**



## Technical Information

All product dimensions are nominal.

|                        |                   |
|------------------------|-------------------|
| Drain location:        | Center            |
| Minimum flat for door: | 3" (76 mm)        |
| Maximum door height:   | 70-1/2" (1791 mm) |
| Maximum door width:    | 38-5/8" (981 mm)  |

## Notes

Install this product according to the installation instructions.

Attach grab bars at the specified backer board locations only.

Studs should be positioned roughly as shown.

Double studding is recommended for pivot shower door installations.