

## FEATURES

- Panels are each 4mm thick with 3 layers; a sandwich of thick aluminum on both the surface and back with a strong mineral resin core in the middle for strength.
- Technical qualities provide for strength and stability, with a structure that is highly water resistant.
- Super high resolution digital images are transferred to a specialized aluminum panel that yields an appearance of genuine stone.
- Surfaces are highly scratch resistant and are available in super high gloss finish.
- Panels are extremely lightweight, weighing 1.3 lbs/sq. ft. for easy installation and handling.
- Fabrication is done with regular carbon steel tools, using a circular saw and an aluminum cutting blade.
- Monotone only wall kits are available in White Caruso and Black Caruso in a continuous pattern.
- White Caruso kits come with a white shower base and shower seat. Black Caruso kits come with a black shower base and shower seat.
- Shower fixtures and bath accessories available in either Brushed Stainless or Polished Chrome.
- Kit includes (2) 36"W x 96"H panels, (1) 60"W x 72"H panel, and (1) 60"W x 24"H panel, (2) inside corner flat trims, (2) aluminum outside edge trims, (1) 29"W x 70"H pivot shower door, (1) 29"W x 70"H in-line fixed panel, (1) 60"L x 32"W end drain shower base, (1) 2" shower drain, (1) 20" grab bar shelf, (1) 18" grab bar, (1) 14"L x 13.6"W flip-up shower seat, (1) 8-function magnetic docking hand shower, (1) 9" shower arm with square escutcheon, and (1) single function square pressure balance valve.
- Foldable panels. Each 36" side panel is two separate panels that are taped together. The 60" back wall panel is made up of three 72"H separate panels that are taped together and three 24"H separate panels that are taped together. The taped panels are then folded on the seams for packaging and shipping.
- 36" end wall panels can be field trimmed to fit the 32" shower base.
- Shower Warranty: 10 Year Limited Residential / 3-Year Limited Commercial
- Shower Door and Bath Accessories Warranty: Lifetime Limited Residential



## Specified Model:


	Model No.	Overall Size W x H x D	Width	Depth	Depth	Ship Wt.(lbs)
<input type="checkbox"/>	TWWCSK603296-	60"x36"x96"	60"	32"	96"	269

COLOR & FIXTURE FINISH			
COLOR		FIXTURE FINISH	
<input type="checkbox"/>	KI01G White Caruso Glossy	<input type="checkbox"/>	PC Polished Chrome
<input type="checkbox"/>	KI03G Black Caruso Glossy	<input type="checkbox"/>	BS Brushed Stainless

## Color



**KI01G**  
White Caruso



**KI03G**  
Black Caruso


## Fixture Finish



**PC**  
Polished Chrome



**BS**  
Brushed Stainless



\* L2 & L2 UP represent the (1) 36" x 96" left-hand end panel. They are two separate panels that are taped together. R2 & R2 UP represent the (1) 36" x 96" right-hand end panel. They are two separate panels that are taped together. L1, C, and R1 represent the (1) 60" x 72" back wall panel. They are three separate panels that are taped together. L1 UP, C UP, and R1 UP represent the (1) 60" x 24" back wall panel. They are three separate panels that are taped together.


## FEATURES

- A modern, frameless pivot shower door, with a slim profile swing frame and a 29" fixed panel.
- Walk-in Opening from 19-3/4" - 31-3/4" wide.
- Attractive frame made from aluminum alloy featuring magnetic seals
- Up to 1-inch adjustment for out-of-plumb (uneven) walls within wall profiles.
- Clear tempered glass is ANSI Z97.1 certified. Glass thickness: 1/4" (6mm).
- Hardware finishes: Polished Chrome, Brushed Stainless, and Matte Black.
- Shower base threshold minimum requirement is 1-3/8" wide.
- **IMPORTANT!** All measurements should be taken only **AFTER** walls are finished (tile, backwalls, etc.); Professional installation recommended.
- The door comes with double sided knobs.
- Limited Lifetime Warranty for residential use and 1 year when used commercially.



## Specify Model

	Size	Model	Min. Width	Max. Width	Height	Weight	Walk-Through Width
<input type="checkbox"/>	52" x 70"	LSDF5227006C-	51.75"	52.75"	70"	122 lbs.	19.75"
<input type="checkbox"/>	53" x 70"	LSDF537006C-	52.75"	53.75"	70"	124 lbs.	20.75"
<input type="checkbox"/>	54" x 70"	LSDF547006C-	53.75"	54.75"	70"	126 lbs.	21.75"
<input type="checkbox"/>	55" x 70"	LSDF557006C-	54.75"	55.75"	70"	128 lbs.	22.75"
<input type="checkbox"/>	56" x 70"	LSDF567006C-	55.75"	56.75"	70"	131 lbs.	23.75"
<input type="checkbox"/>	57" x 70"	LSDF577006C-	56.75"	57.75"	70"	133 lbs.	24.75"
<input type="checkbox"/>	58" x 70"	LSDF587006C-	57.75"	58.75"	70"	135 lbs.	25.75"
<input type="checkbox"/>	59" x 70"	LSDF597006C-	58.75"	59.75"	70"	137 lbs.	26.75"
<input type="checkbox"/>	60" x 70"	LSDF607006C-	59.75"	60.75"	70"	139 lbs.	27.75"
<input type="checkbox"/>	61" x 70"	LSDF617006C-	60.75"	61.75"	70"	142 lbs.	28.75"
<input type="checkbox"/>	62" x 70"	LSDF627006C-	61.75"	62.75"	70"	144 lbs.	29.75"
<input type="checkbox"/>	63" x 70"	LSDF637006C-	62.75"	63.75"	70"	146 lbs.	30.75"
<input type="checkbox"/>	64" x 70"	LSDF647006C-	63.75"	64.75"	70"	148 lbs.	31.75"



SHOWER DOORS

## To Be Specified: Hardware Color

☐ PC Chrome


☐ BS Brushed Stainless

☐ MB Matte Black



## To Be Specified: Glass

☐ C Clear



## Features

- Base designed to replace bathtub. Drain positioned 8-1/2" from wall to align with existing bathtub drain.
- Heavy Duty SMC Sheet Molding Compound Material
- Light weight. Natural stone effect.
- 63" length bases meet ADA requirements
- SMC color-matched drain cover conceals a conventional 2" shower drain (not supplied)
- Stock bases can be used as a Single, Double or Triple Threshold
- Ultra low threshold front curb for easy access. After underlayment and finished floor are installed, there is a virtually flush entrance to the shower.
- Slip-resistant lightly textured slate floor maintains an easy to clean surface
- 1" high aluminum tiling flange included
- 10 Year Limited Residential / 3 Year Commercial Warranty

## Stock Sized Specified Models


	Model No.	Length A	Width B	Height
<input type="checkbox"/>	FZSR6032R/L	59.1"	31.5"	1.0"
<input type="checkbox"/>	FZSR6036R/L	59.1"	35.5"	1.0"
<input type="checkbox"/>	FZSR6332R/L*	63"	31.5"	1.0"
<input type="checkbox"/>	FZSR6336R/L*	63"	35.5"	1.0"

\* Meets ADA requirements

## CUSTOMIZABLE BASE

**Note:** Bases can be built to accommodate unique sizes. Notches can also be cut from the bases to allow for columns in a corner.


Base can be built to custom sizes within certain limitations. Can be trimmed up to 4" in width from side opposite drain or up to 2" from depth. Base is designed to be used as a single, double or triple threshold in stock sizes and single threshold models in custom sizes



Tiling flange


## To Be Specified: Color

<input type="checkbox"/>	31 White
<input type="checkbox"/>	32 Cameo
<input type="checkbox"/>	40 Grey
<input type="checkbox"/>	09 Black



## Compliance Certifications

**Meets or Exceeds the Following Specification**

- IGC 154-2012
- ASME A112.18.1 / CSA B125.125.1-11
- IAPMO 
- cUPC®




Before


After



Modern Slip Resistance with a stone-look texture. Slip resistant and easy to clean as well as.



**SHOWER BASES**



### FEATURES

- Transolid stainless steel grab bar shelves are a beautiful, easy-to-install addition to Transolid shower walls, or any other solid surface or tile shower.
- Grab bar includes 14-gauge shelf and 8-gauge rail to ensure shower products and accessories do not fall from the shelf.
- Includes concealed mounting hardware and installation guide.
- Install directly on tile inside or outside of the shower, requires 2-in solid wood in wall backing.
- Compatible with many bathroom accessories offered by Transolid to complete your desired style.
- Durable stainless steel provides safe storage with a weight capacity up to 300lbs., long-lasting corrosion, rust, and chemical resistant.



### FINISH

- 3 finishes: polished chrome, brushed stainless, and matte black

### WARRANTY

- Lifetime Limited Residential / 5 Year Commercial

### INSTALLATION REQUIREMENT

- To assure proper and safe installation, use minimum 2" thick solid wood in-wall backing material. Backing must comply with building code requirements.


#### To Be Specified:

	Model No.	Description	Height	Width	Depth
<input type="checkbox"/>	JGBS20-	20" Grab Bar Shelf	3"	20"	4"
<input type="checkbox"/>	JGBS30-	30" Grab Bar Shelf	3"	30"	4"

**TO ORDER** add finish color to end of model number

#### To Be Specified: Finish

	Code	Finish
<input type="checkbox"/>	PC	Polished Chrome
<input type="checkbox"/>	BS	Brushed Stainless
<input type="checkbox"/>	MB	Matte Black
<input type="checkbox"/>	CB	Champagne Bronze



### FEATURES

- Decorative 1" diameter grab bars enhance the look of the shower
- Concealed mounting.
- Includes two flange covers.
- Heavy duty 304 stainless steel.
- Mounting hardware and mounting template included.

### FINISH

- 4 finishes: polished chrome, brushed stainless, matte black, champagne bronze

### WARRANTY

- Lifetime Limited Residential / 5 Year Commercial

### INSTALLATION REQUIREMENT

- Wood blocking is preferable behind all wall surfaces. Use framing studs for mounting when available. If wood blocking is not available, the following fasteners are suggested: Tile/Masonry-Plastic or lead Anchors Plaster/drywall-Toggle bolts.




#### To Be Specified:

	Model No.	Description	Length		Dia.	Depth
			A	B		
<input type="checkbox"/>	TS12-	12" Grab Bar	13"	12"	1"	2 <sup>13</sup> / <sub>16</sub> "
<input type="checkbox"/>	TS16-	16" Grab Bar	17"	16"	1"	2 <sup>13</sup> / <sub>16</sub> "
<input type="checkbox"/>	TS18-	18" Grab Bar	19"	18"	1"	2 <sup>13</sup> / <sub>16</sub> "
<input type="checkbox"/>	TS24-	24" Grab Bar	25"	24"	1"	2 <sup>13</sup> / <sub>16</sub> "
<input type="checkbox"/>	TS32-	32" Grab Bar	32 <sup>7</sup> / <sub>8</sub> "	31 <sup>1</sup> / <sub>8</sub> "	1"	2 <sup>13</sup> / <sub>16</sub> "

**TO ORDER** add finish color to end of model number

#### To Be Specified: Finish

GRAB BAR FINISH		
	Code	Color
<input type="checkbox"/>	PC	Polished Chrome
<input type="checkbox"/>	BS	Brushed Stainless
<input type="checkbox"/>	MB	Matte Black
<input type="checkbox"/>	CB	Champagne Bronze



### FEATURES

- Foldable Seat
- Seat material is anti-microbial
- Stainless steel mounting bracket for durability
- Holds up to 300 lbs. capacity

### WARRANTY

- Lifetime Limited Warranty for residential use
- 5 Year Limited Warranty for commercial use

### COLOR & FINISHES

- 2 seat colors available: White (01) & Black (09)
- 4 bracket finishes available (See below)



#### To Be Specified:




	Model No.	Seat Size W x D x H	Bracket Size W x H	Ship Wt. (lbs)
<input type="checkbox"/>	*PPS1414UP-	14" x 13 <sup>3</sup> / <sub>4</sub> " x 1 <sup>3</sup> / <sub>4</sub> "	15" x 3 <sup>9</sup> / <sub>16</sub> "	14
<input type="checkbox"/>	PPS1420UP-	20" x 15 <sup>3</sup> / <sub>4</sub> " x 1 <sup>3</sup> / <sub>4</sub> "	21" x 3 <sup>9</sup> / <sub>16</sub> "	18
<input type="checkbox"/>	PPS1526UP-	26" x 15" x 1 <sup>3</sup> / <sub>4</sub> "	26" x 3 <sup>9</sup> / <sub>16</sub> "	26
<input type="checkbox"/>	PPS1534UP-	34" x 15" x 1 <sup>3</sup> / <sub>4</sub> "	34" x 3 <sup>9</sup> / <sub>16</sub> "	31

**TO ORDER** add finish color after color code (ex. PPS1414IP-01PC)

#### To Be Specified: Finish

	BRACKET FINISHES	
<input type="checkbox"/>	<b>PC</b>	Polished Chrome
<input type="checkbox"/>	<b>BS</b>	Brushed Stainless
<input type="checkbox"/>	<b>MB</b>	Matte Black
<input type="checkbox"/>	<b>CB</b>	Champagne Bronze

\*PPS1414UP- only available in Polished Chrome and Brushed Stainless



Meets the Americans with Disabilities Act guidelines and ANSI A117.1 requirements for accessible and usable building facilities-check local codes when installed per accessibility guidelines of the act.



### FEATURES

- PAX round hand shower and showerhead combo
- 4-11/16" diameter hand shower face
- 8 functions: jet spray, massage, mist, power rain, rain, rain+massage, rain+mist, trickle
- Magnetic docking. Hand shower securely docked when not in use. Magnetic bracket mounts onto shower arm. Shower arm not included.
- Power clean hand shower: jet spray mode positioned at the top of the shower head, delivering a concentrated stream of water for high-pressure cleaning and rinsing
- ABS hand shower with ABS+brass magnetic bracket
- Includes 71" stainless steel shower hose and teflon tape
- Max Flow Rate: 2.5 gpm (8.5-9L/min.) @30psi
- Lifetime Limited Residential / 1-Year Limited Commercial Warranty






### Specified Model

	Model No.	Description	Width	Height	Depth
<input type="checkbox"/>	MPMS8F-	8-Function Magnetic Hand Shower	4 11/16"	10 5/16"	2"

To Be Specified: Finish			
<input type="checkbox"/>	PC Polished Chrome	<input type="checkbox"/>	CB Champagne Bronze
<input type="checkbox"/>	BN Brushed Nickel	<input type="checkbox"/>	MB Matte Black

### Finishes:



### FEATURES

- 9" round shower arm with 2-3/8" square flange cover
- Stainless steel construction
- 1/2" NPT male thread wall connection
- G 1/2" showerhead connection
- Lifetime Limited Residential / 1-Year Limited Commercial Warranty

### Specified Model

	Model No.	Description	Width	Height	Depth
<input type="checkbox"/>	BSA9S-	9" Shower Arm	2 3/8"	3 1/4"	9"



To Be Specified: Finish			
<input type="checkbox"/>	PC Polished Chrome	<input type="checkbox"/>	MB Matte Black
<input type="checkbox"/>	BN Brushed Nickel		

### Finishes:





Polished  
Chrome



Brushed  
Nickel



Matte  
Black





### FEATURES

- 1-function round-style trim plate and handle
- Ceramic cartridge
- 7" diameter
- 1/2" NPT male thread
- Screw stop to adjust water flow rate
- Solid brass material with plastic built-in box
- ADA compliant lever handle
- Lifetime Limited Residential / 1-Year Limited Commercial Warranty



### Specified Model

	Model No.	Description	Width	Height
<input type="checkbox"/>	VTP1R-	1-Function Pressure Balance Valve	7"	7"

To Be Specified: Finish			
<input type="checkbox"/>	PC Polished Chrome	<input type="checkbox"/>	MB Matte Black
<input type="checkbox"/>	BN Brushed Nickel		



### Finishes:



Polished  
Chrome

Brushed  
Nickel

Matte  
Black



Meets the Americans with Disabilities Act guidelines and ANSI A17.1 requirements for accessible and usable building facilities-check local codes when installed per accessibility guidelines of the act.